4

SUBJECT: HEAVY DUTY COLUMN TRUCK LIFTS

BID #: SC-0306-23 **OPEN DATE: 03/08/2023**

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT:
SUPPLY CONTRACT - THREE (3) YEARS FROM DATE OF AWARD WITH TWO (2) ONE (1) YEAR RENEWAL OPTIONS

AGENCY: FIRE/RESCUE

BASIS OF AWARD: ALL OR NONE, TO THE LOWEST RESPONSIVE, RESPONSIBLE BIDDER

NUMBER OF BIDS INVITED: 20 **NUMBER RECEIVED:** 3 **OTHER:** 1

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:

Recommend approval of award to Liftnow Automotive Equipment Corporation as the lowest responsive, responsible bidders for the supply of Heavy Duty Column Truck Lifts for the Jacksonville Fire and Rescue Department. Period of service is three (3) years from date of award with two (2) one (1) year renewal options. Total estimated annual award not to exceed $67,844.09.

Funding for this award to be encumbered by account 00111.123004.564290.00000000.00000.0000000 to be executed by purchase order releases.

Attachments: Recommendation Memo, Tabulation Sheet, Terms and Conditions, Specification

Analyst: _____ OLIVE WALLACE-COHEN

RESPECTFULLY SUBMITTED: _____ DUSTIN FREEMAN, CHIEF PROCUREMENT DIVISION

CONCURRENCE BY: KEITH POWERS, DIVISION CHIEF OF OPERATIONS

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

FIRE AND RESCUE DEPARTMENT

April 5, 2023

TO: Dustin Freeman, Chief of Procurement

FROM: Keith Powers, Director/Fire Chief

SUBJ: **BID SC-0306-23 HEAVY DUTY MOBILE COLUMN TRUCK LIFTS**

The Jacksonville Fire and Rescue Department has reviewed the bid responses for Bid SC-0306-23 Heavy Duty Mobile Column Truck Lifts and recommend awarding this bid to the lowest responsive vendor, Liftnow Automotive Equipment Corporation.

Total Award: $67,844.09

Funding Source: 00111.123004.564290.0.0.0.0

If you have any questions, please contact Dan Pearson at (904) 255-3265.

KP/tjh

TITLE: HEAVY DUTY MOBILE COLUMN TRUCK LIFTS

BID NO: SC-0306-23

OPEN DATE: 03/08/23

ANALYST: Olive Wallace-Cohen

NO. INVITED: (20) No. Received: (3) No Bids: (1)

RECORDED BY: MELISSA PIERCE

ANNOUNCER: MICHELLE SPITLER

ITEM #		DESCRIPTION		UOM	Unit Price	EXTENDED PRICE ($)	Unit Price	EXTENDED PRICE ($)	Unit Price	EXTENDED PRICE ($)
						HEAVY DUTY LIFT & EQUIPMENT, INC.		RELADYNE FLORIDA, LLC		LIFTNOW AUTOMOTIVE EQUIPMENT CORP.
1		HEAVY DUTY COLUMN TRUCK LIFTS (in accordance with specifications)	6	EA	$ 15,392.50	$ 92,355.00	$ 15,210.57	$ 91,263.41	$ 11,307.35	$ 67,844.09
		TOTAL BID PRICE				$ 92,355.00		$ 91,263.41		$ 67,844.09

Insurance Acknowledgement		✓		✓		
Delivery		30 Days		60 Days		35 Days
Buy American		N/S		N/S		100%
Conflict of Interest:		✓		✓		✓
Addendums ( ):		N/A		N/A		N/A

TERMS AND CONDITIONS

HEAVY DUTY MOBILE COLUMN TRUCK LIFTS

1. SCOPE

The City of Jacksonville's Fire and Rescue Department is currently accepting bids to obtain a source of supply for the items/services as outlined in the bid documents provided. The purpose of this bid invitation is to obtain information about your firm and its ability to provide these items/services and to obtain pricing commitments for **Heavy Duty Mobile Column Truck lifts** as listed in the bid documents.

2. AWARD

Award will be **ALL OR NONE** to the lowest responsive, responsible bidder(s). Bidders must bid on all items to be considered for award. The City reserves the right to reject any or all bids. ALL awards are subject to the availability of funds.

- As per Section 126.114 of the City of Jacksonville Ordinance Code, preference will be given to a responsive and responsible vendor offering American manufactured, assembled, or produced goods, and who is within 5% of the lowest responsive and responsible bidder. To receive this preference, the bidder must complete the attached Buy American Preference Compliance Certificate and attach supporting documentation and/or evidence attesting that at least 51% offered in the bid response is manufactured, assembled or produced in the United States.
- Bidder is not required to submit for the Buy American Preference. Bidders may quote items less than 51% American made but will not be eligible for the preference.

Restrictions and exemptions may apply. Please refer to Section 126.114 (Page 35) for specifics

3. TERM OF AGREEMENT

Three (3) Years from Date of Award with two (2) One (1) year renewal option.

5. STATE CONTRACTS

The City reserves the right to utilize contracts established by the State of Florida and or other governmental agencies for item(s)/service(s) covered under this bid. The city reserves the right to cancel this contract in whole or in part for such item(s)/service(s).

6. QUANTITIES

Quantities indicated are fixed. The City reserves the right to add or delete items, or increase the volume of services required, or not to make any purchase against this bid if it so deems necessary at any time during the contract period.

7. DELIVERY

Jacksonville Fire and Rescue Department, 355 Ellis Road, Jacksonville, Florida 32254 Attn: Tactical Support. A packing list shall accompany all shipments, which shall indicate, at a minimum, the following: purchase order number, item number and description, date of shipment, quantity ordered, and shipped, unit price, and unit of measure.

8. ESCALATION/DE-ESCALATION

All pricing submitted shall remain firm for the initial term period. Upon renewal (if applicable), a supplier may submit in writing a request for price escalation/de-escalation for the percentage of change as listed in the Consumer Pricing Index (CPI) and/or documentation notifying of an industry wide increase. The City reserves the right to decline any price increase request.

9. PRICES

All unit prices shall include freight, delivery, set-up, tear-down, and all labor charges to the delivery location when needed.

10. PICK UP AND RETURNS

The City reserves the right to return an order in whole or in part if the merchandise is not in compliance with the bid specifications. The City or its agencies will determine compliance with bid specifications. Pick up and returns will be made within 48 hours of notification at no charge to the City or its agencies.

11. COMPLIANCE WITH SPECIFICATIONS

The bidder, by affixing their signature to the bid form submitted, agrees to provide item(s)/service(s) in accordance with the bid documents provided. Bid only a single offering for each bid item. Multiple offerings, alternates (unless stated) and or stipulations may be cause for bid rejection. Bid only on forms provided herein unless otherwise stated. Bid submissions shall be in ink or typewritten. All corrections must be initialed.

12. INVOICING

Invoices will be issued once supplies/services are delivered and/or rendered to the City of Jacksonville or its agencies. At a minimum, invoices must include; purchase order number or contract number, item number and description, date of shipment, quantity ordered and shipped, unit prices, unit of measure, and extended totals. Payment terms are Net 30 days. All original invoices shall be submitted to: City of Jacksonville, General Accounting Division, 117 West Duval Street, Suite 375, Jacksonville, Florida 32202. **All original invoices shall be submitted through the City of Jacksonville's 1Cloud Supplier Portal or can be e-mailed directly to 1CloudInvoice@coj.net** or jfrdprocurement@coj.net.

13. INSURANCE/INDEMNIFICATION

Each supplier shall maintain, for the entire term of this bid, current insurance coverage as stated in the bid documents. All insurance certificates shall list the City of Jacksonville as an additional insured. Bid number should be listed on certificate.

14. REPORTING

The City may request, during the term of this bid, reports including but not limited to; usage, pricing, and delivery. Suppliers will be required to provide reports requested in hard copy and electronic format as required.

15. SUPPLIER ACCESSIBILITY

The City or its representative must be able to contact, during normal business hours, by telephone or email any supplier providing goods or services to the City or its agencies. Any supplier accessibility requirements outlined in the specifications supersede this section.

SPECIFICATIONS

HEAVY DUTY MOBILE COLUMN TRUCK LIFTS

Scope of Work

The City of Jacksonville's Fire and Rescue Department is currently accepting bids to obtain a source of supply for the items/services as outlined in the bid documents provided. The purpose of this bid invitation is to obtain information about your firm and its ability to provide these items/services and to obtain pricing commitments for a set of 6 Wireless Mobile Column Lifts as specified in the bid documents.

The City reserves the right to seek further clarification or information deemed necessary for evaluation of bid.

Minimum Requirements

Bidders must provide the below information with their bid at the time of bid submission to be considered for award. Failure to meet any of these requirements may be grounds for bid rejection as being non-responsive:

1. Products must have 5 years of industry experience with reference for 5 installations of same product in Florida. Verification must be provided with bid package.
2. Lift must be ALI-ETL certified, Verification must be provided with bid package.
3. Lift Manufacturing Company must be ISO 9001 certified; Verification must be provided with bid package.

Product Minimum Safety and Performance Specifications

The proposed product for Wireless Mobile Column Lifts must meet or exceed the below specifications:

1. Lifting Capacity= Minimum Lift Capacity of 18,500 lbs. per column
2. Lifting Height= 69"
3. Power Supply=On board 24V DC with internally mounted, on board(120VAC) charging system. System must also be capable of recharging while in use without damage to the system. Charging cable must be disconnect-able on each end and not hard wired into the charger.
4. Drive mechanism= electric-hydraulic operation. Lift must have automatic hydraulic overload protection from exceeding rated capacity.
5. Each column must have its own control panel using an easily viewable, 7" high resolution touch screen display for diverse operating and safety features. This is to be used in conjunction with a potentiometer or any other device that provides absolute height measurements.
6. Wireless Communication system must automatically select the most advantageous communication channel and shall not require the operator to select the communication channel.
7. Up to 32 Columns can be linked in a set.
8. Mode of operation, Single, Pair, or All to be displayed on the 7" high resolution touch screen display.

9. Each column must have the ability to be a master column and operate every function of the lift system to its full capacity.
10. ****For safety, Lift system must require that the operator of the system is operating the lift system from one of the control panels physically attached to the column of one of the mobile columns that is in the set of lifts being used. Lifts shall not be operated by any wireless linked device that is not physically attached to one of the mobile column lifts in the set of lifts being used.
11. User has a choice of languages to be displayed on the 7" high resolution touch screen display.
12. ***For Safety, the use of an RFID key is required for system startup to protect against unauthorized use. The RFID key requires that a single operator of the system visits each column during startup to ensure proper lift placement. RFID keys can be issued by the shop safety supervisor to trained and authorized users.
13. 7" Display screen shall display a battery charge indicator, number of columns in set, achieved lifting height, and Action in progress(lifting/lowering). All of this information is viewable at one time.
14. Any System fault information to be displayed with a detailed description on the 7" high resolution touch screen display.
15. ****For Safety, Columns must have a "Fail-Safe" mechanical locking system that has a locking position every 1.35" for the entire lifting stroke and a minimum of 45 safety locking positions.
16. Lifting forks shall have a minimum length of 14".
17. Wheel contact forks shall be adjustable by hand and freely accept tires with rim diameters between RIO and R22.5. The adjustable forks shall incorporate a mechanical locking device to ensure the fork cannot relocate/adjust during use.
18. ****Lifts shall have a hydraulic pallet jack mechanism to maneuver lifts. Pallet Jack shall also have a gas shock incorporated into its design to dampen the impact of floor imperfections during relocation, and to ensure that the lift is resting safely on its foundation during the lifting cycle.
19. ****For Safety, Pallet Jack mechanism must incorporate a system to provide automatic communication shut down upon column relocation to prevent unsafe operation.
20. The lift must be able to be moved while the pallet jack handle is any position necessary and advantageous to the operator.
21. ****The column shall be fitted with fixed front roller wheels fabricated from oil impregnated nylon so as to be non-destructive to the floor and to allow ease of movement over imperfect floors. These wheels should not require the use of springs to function correctly and safely.
22. Columns must connect with each other using wireless communication, using NO cables between columns or wireless controller to create communication link between columns.
23. Lifting carriage must utilize guide rollers.
24. Control voltage to be 24 volts maximum.
25. This Entire system must be certified by the All (Automotive Lift Institute)/ETL and proof of certification to be included with bid. http://www.autolift.org
26. Lifts must be maintenance-free other than visual inspections.
27. Manufacturer of lifts must have ISO 900 I certification.

28. Minimum Warranty: two (2) years parts (l) year labor, five (5) years on hydraulic cylinder, Lifetime on carriage rollers
29. Owners Service Manuals to be provided upon delivery of lifts.
30. Onsite Training shall be provided by the Bidder as part of purchase package
31. Complete onsite installation to be provided by bidder
32. Columns shall include weight gauges to provide vehicle weights (weight does not need to be DOT certified)