SUBJECT: 2022 40-Foot Bucket Truck (Insulated Telescopic Articulating Aerial Device)

BID #: SC-0343-21 **OPEN DATE:** 3/31/2021

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: Supply Contract – Date of award through September 30, 2021 with two (2) one (1) year renewal options

AGENCY: Fleet Management Division

BASIS OF AWARD: All of None to the lowest responsive, responsible bidder

NUMBER OF BIDS INVITED: 6 **NUMBER RECEIVED:** 4 **OTHER:** 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to ratify the period of service from October 1, 2022 through date of award. Recommend approval to utilize the second and final renewal option with Altec Industries, Inc. Period of service is from date of award through September 30, 2023. Total revised estimated annual expenditure is $ 152,269.00. Revised total expenditure not to exceed $534,325.00.

Funding Source: 51103.114001.564010.000000.00000500.00000 – To be encumbered by purchase order

Attachments: Recommendation Memo, Vendor Letter/Quote and Previous Awards

Analyst: _____
Corey Sidlo

RESPECTFULLY SUBMITTED: _____
DUSTIN FREEMAN, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: Crisencio Tongol, Chief, Fleet Management Division

---

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

FINANCE AND ADMINSTRATION DEPARTMENT

FLEET MANAGEMENT DIVISION

Jacksonville

Where Florida Begins.

Date: September 27, 2022

To: Dustin Freeman, Chief of Procurement Division

Thru: Cris Tongol, Chief of Fleet Management

From: David Hylazewski, Equipment Control Administrator DH

Re: Recommendation of Approval of Second (2nd) renewal for SC-0343-21 Purchase of 40' Bucket Truck

Fleet Management Division is requesting approval to utilize the Second (2nd) renewal option of SC-0343-21 to Altec industries, Inc. Period of Service is October 1, 2022 through September 30, 2023. Total estimated expenditure not to exceed $152,269.00 per budgetary quote pending final pricing at time of build. Total not to exceed amount ~~$519,760.00~~ $534,325.00 CS

Funding Source: 51103.114001.564010.000000.00000500.00000 to be encumbered by purchase order

2581 Commonwealth Ave. Jacksonville, FL 32254 Phone: 904.255-7499 Fax: 904.381.4607 www.coj.net

Kurtz, Sheryl

From: Paul Hinson Jr. <Paul.Hinson@altec.com>
Sent: Tuesday, August 23, 2022 10:44 AM
To: Kurtz, Sheryl
Subject: RE: SC-0343-21 2nd Renewal option

EXTERNAL EMAIL: This email originated from a non-COJ email address. Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Hi, Sheryl! Yes, we would like to renew this for another year. If you intend to order one of these, we will price it at that time per the most current Sourcewell pricing. Same as with other models we have bid and sold you recently. Thank you!

Paul Hinson
Senior Account Manager
Altec Industries, Inc.
(205) 837-8293

From: Kurtz, Sheryl <SKURTZ@coj.net>
Sent: Tuesday, August 23, 2022 10:32 AM
To: Paul Hinson Jr. <Paul.Hinson@altec.com>
Subject: SC-0343-21 2nd Renewal option

RENEWAL OPTION NOTIFICATION

The above listed Bid is due for renewal on October 1, 2022. As stated in the bid, this contract may be extended for an additional one (1) year renewal option at the discretion of the City, based on vendor performance and adherence to price, terms and conditions of the bid.

The City of Jacksonville would like to offer the Second (2nd) option for the period of October 1, 2022 through September 20, 2023. If your company opts to use the renewal option, please submit a written agreement to exercise the renewal option. Please include bid number, agreement under to the same terms, conditions and pricing as original bid in the memo.

If you opt not to use the renewal option, please submit a letter stating the action desired. To have adequate time to renew or re-bid this project, all documents must be submitted no less than **thirty days** prior to the deadline date stated above.

Please do not hesitate to contact me at (904) 255-7465, if you have any questions or need additional information regarding the renewal process. If you scroll down you will see your memo from the first renewal.

Thank you,

Sheryl Kurtz

Kurtz, Sheryl

From: Nadine Stacey <Nadine.Stacey@altec.com>
Sent: Tuesday, September 27, 2022 1:15 PM
To: Kurtz, Sheryl
Cc: Paul Hinson Jr.
Subject: City of Jacksonville Quote
Attachments: Quote 1254699 CofJ GM.PDF

EXTERNAL EMAIL: This email originated from a non-COJ email address. Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Good Afternoon

Please see attached renewal bid quote for City of Jacksonville.
Please note this is a budgetary quote and we will be requoting 12-14 months before the build starts should we receive an order.

Feel free to email me with any questions or concerns.

Best,

Nadine Stacey
Altec, Inc. 54/57.
200 Altec Drive
Elizabethtown, KY 42701
Tel: (270) 505-1536
nadine.stacey@altec.com

September 27, 2022
Our 93rd Year

Ship To:
CITY OF JACKSONVILLE (FL)
2581 COMMONWEALTH AVE
JACKSONVILLE, FL 32254
US

Attn:
Phone: 904-387-8990
Email:

Bill To:
CITY OF JACKSONVILLE (FL)
ACCOUNTS PAYABLE SECTION
117 W DUVAL ST STE 375
JACKSONVILLE, FL 32202-0000
United States

Altec Quotation Number: 1254699 - 1
Account Manager: Paul Hinson
Technical Sales Rep: Nadine H Stacey

Item	Description	Qty	Price
	Unit		
1.	AT40G Unit Model	1	
2.	ALTEC Model AT40-G telescopic articulating Aerial device with ISO-Boom. A. ISO Boom: the inner telescopic fiberglass boom maintains full dielectric integrity even with the fiberglass inner boom fully retracted. B. Hydraulic platform leveling system. C. Hydraulic tool circuit at the platform. D. Emergency lowering valve at the platform. E. Single handle control at the platform with a safety interlock system. F. Two (2) operators and maintenance/parts manuals. G. Working height: 45.6 feet H. Side reach: 29.7 feet I. Low-power fiber-optic control system (FOC-L). J. Continuous rotation	1	
3.	15 Gallon steel pedestal mounted reservoir Located on SS of Cargo Area near bulkhead	1	
4.	Post style pedestal mounting	1	
5.	Single One-Man End-Mounted Platform With 180 Degree Rotator, 24 X 30 X 42. Platform is rated at 400 pounds. Control panel on platform dashboard provides controls for auxiliary functions. Includes emergency stop (push-pull) switch and rocker switches, which operate platform leveling, platform rotation, tools, and battery selector (for fiber-optic controls system). Composite fiberglass platform mounting bracket. (AT40G)	1	
6.	Platform Leveling At Lower Controls. AT40-G	1	
7.	Two (2) Platform Steps	1	
8.	Soft nylon reinforced vinyl platform cover for a 24 x 30 inch platform	1	

Item	Description	Qty	Price
9.	Platform liner for a 24 x 30 x 42 inch platform	1	
10.	4-Function Single Handle Fiber-Optic Controller	1	
11.	Manual lowering valve located at the boomtip. For use in emergency situations to allow the operator to lower the boom to the ground	1	
12.	Engine Start/Stop at the upper controls actuated through the Fiber-Optic controls system with Secondary Stowage System (AT40G)	1	
13.	Powder coat unit Altec White.	1	
	Unit & Hydraulic Acc.		
14.	HVI-22 Hydraulic Oil (Standard)	17	
15.	Standard Pump for PTO	1	
16.	Hot Shift PTO (for Automatic Transmission)	1	
17.	Standard Altec PTO/Transmission Functionality for Non-Allison Automatic Transmissions: -PTO will engage when transmission is in park and the Parking Brake is engaged. -If transmission is in gear, and PTO switch is activated, PTO will not engage. Transmission will remain in gear. -Once the transmission is shifted back into gear the PTO will disengage. For some truck configurations the PTO switch must be turned off to allow the transmission to shift into gear.	1	
18.	Standard Parking Brake Machine Interlock: Parking (holding) brake must be set before machine is operable.	1	
19.	Scuff Pad, 24" x 30"	1	
	Body		
20.	Altec Body	1	
21.	Predesigned Body With Options	1	
22.	Steel Body	1	
23.	Body Is To Be Built In Accordance With The Following Altec Standard Specifications:	1	

A. Basic Body Fabricated From A40 Grade 100% Zinc Alloy Coated Steel.
B. All Doors Are Full, Double Paneled, Self-Sealed With Built-In Drainage For Maximum Weather-Tightness. Stainless Steel Hinge Rods Extend Full Length Of Door.
C. Heavy-Gauge Welded Steel Frame Construction.
D. Integrated Door Header Drip Rail At Top For Maximum Weather Protection.
E. Fender Panels Are Either Roll Formed Or Have Neoprene Fenderettes Mechanically Fastened.
F. Steel Treated For Improved Primer Bond And Rust Resistance.
G. Automotive Type Non-Porous Door Seals Fastened To The Door Facing.

Item	Description	Qty	Price
	H. B-Line Channel Installed In Compartments		
24.	Smooth Galvanneal Steel Floor	1	
25.	Low-Side General Service (LGS)	1	
26.	Finish Paint Body Altec White	1	
27.	Undercoat Body	1	
28.	108" Overall Body Length	1	
29.	94" Body Width	1	
30.	40" Body Compartment Height	1	
31.	20" Body Compartment Depth	1	
32.	5.5 Inch Drop-In Wood Cargo Retaining Board At Rear Of Body	1	
33.	Curbside Smooth Compartment Tops	1	
34.	Streetside Smooth Compartment Tops	1	
35.	Adhesive Strip Lighting (LED) Around Top And Sides Of Compartment Door Facings	6	
36.	Stainless Steel Rotary Paddle Latches With Keyed Locks	6	
37.	All Locks Keyed Alike Including Accessories (Preferred Option)	1	
38.	Standard Master Body Locking System	6	
39.	Gas Prop Rigid Door Holders On All Vertical Doors	1	
40.	Chains On All Horizontal Doors	1	
41.	One Chock Holder On Each Side of Body With Retaining Lip In Fender Panel	1	
42.	Hotstick Shelf Extending Full Length Of Body On Curbside	1	
43.	Two Hotstick Brackets On Curbside	1	
44.	Standard Drop-Down Hotstick Door For One (1) Shelf On Curbside, Stainless Steel Slam Paddle Latch With Keyed Lock	1	
45.	1st Vertical (SS) - Adjustable Shelf With Removable Dividers On 4" Centers	2	
46.	1st Horizontal (SS) - Adjustable Shelf With Removable Dividers On 8" Centers	1	
47.	Rear Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2	
48.	Rear Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	4	
49.	Rear Vertical (SS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2	
50.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Left Wall	2	

Item	Description	Qty	Price
51.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Rear Wall	4	
52.	1st Vertical (CS) - Locking Swivel Hooks On An Adjustable Rail - Right Wall	2	
53.	1st Vertical (CS) - Louvered Panel On Rear Wall To Ventilate Compartment	1	
54.	1st Vertical (CS) - Inverter Storage Inside Of Body Compartment With Guard And Provisions For Remote GFCI Receptacle (Mounted On Top Shelf Unless Otherwise Specified)	1	
55.	1st Horizontal (CS) - Vacant	1	
56.	Rear Vertical (CS) - Adjustable Shelf With Removable Dividers On 4" Centers	2	
57.	38" L Steel Tailshelf, Width To Match Body	1	
58.	Smooth Galvanneal Steel Tailshelf	1	
59.	Small Steel Grab Handle Installed At Rear	1	
60.	Steel U-Shaped Grab Handle	1	
	To be used with the access steps on tailshelf		
61.	Battery Storage In Remote Steel Enclosure, Located Outside Of Body Compartments	1	
	Installed in cargo area on CS against bulkhead		
62.	Steel End Opening Box, Drop Down Door, Keyed Latch, Plywood Lined Bottom	1	
	Box to be 108" L X 21" W X 8"T		
	Body and Chassis Accessories		
63.	Set of Safety Chain Eye Bolts	1	
64.	ICC Underride Protection	1	
65.	Receiver Hitch, 2, Class 4, Incorporated Into Frame Extension	1	
66.	Rear Torsion Bar	1	
	Position 2		
67.	Install Counterweight as Needed	1	
68.	Boom Rest for Telescopic Unit, Cargo Area Mounted	1	
	As far to the SS as possible to allow for easy entrance into Cargo Area		
69.	Platform Rest, Rigid with Rubber Tube	1	
70.	Platform to be Side Stowed	1	
71.	Wheel Chocks Rubber with Metal Hairpin Handle 9.75 L x 7.75 W x 5 H (Pair) (Altec Preferred)	1	

Item	Description	Qty	Price
72.	Mud Flaps with Altec Logo (Pair)	1	
73.	Rock Guards, Lexan	1	
74.	Fold Over, Post Style Cone Holder For Installation On A Front Bumper (Holds up to four 15 x15 large cones)	1	
75.	Ladder Storage Option 1	1	
	Post style ladder storage, installed on CS - Post at the rear are to be approximately 11" T - Post at the front are to be approximately 14" T - Front and rear posts are to be approximately 51" apart - Distance between posts at rear is 9", center to center.		
76.	5 LB Fire Extinguisher with Light Duty Bracket Shipped Loose (Amerex #B402T)	1	
77.	Safety Harness and 4.5 Ft Lanyard (Fits Medium to Xlarge), Includes Pouch and Placards, Single Harness	1	
78.	Triangular Reflector Kit (Contains 3 Reflectors), Shipped Per DEPS 042	1	
79.	Slope Indicator Assembly for Machine without Outriggers	1	
80.	Vinyl Manual Pouch for Storage of All Operator and Parts Manuals	1	
81.	Vise Mounting Bracket, V-Style with Retainer Pin and 10 x 10 Mounting Plate	1	
	Installed on SS rear of tailshelf		
82.	Additional Body/Chassis Accessory	1	
	Window tint in FA -28% tint on front side windows and rear window and 15% non-reflective tint along the top of the windshield above the manufacture's AS-1 line		
	Electrical Accessories		
83.	Compartment Lights Wired To Dash Mounted Master Switch	1	
84.	Lights And Reflectors In Accordance With FMVSS 108 (Complete LED)	1	
85.	Strobe Beacon Amber LED with Brush Guard (Standard) (Tecniq #K10-AAAD-1) Class II (Permit May Be Required) (Altec/Stock Preferred)	1	
	Post mounted on SS and CS of bulkhead. To be visible from front and rear of truck		
86.	6-Position Strobes, Amber, LED, Two (2) Surface Mounted Lights In Grille, Two (2) Oval Lights On Body Sides, Two (2) Round Lights At Rear, Class II (Permit May Be Required)	1	
87.	Cargo Light, LED, 4 DIA, Grommet Mounted (Tecniq #T41-WC0T-1)	3	
	Two (2) installed, evenly spaced in the CS wall to illuminate the cargo area, and one (1) installed in the top of the CS access steps to illuminate steps. - Wired to an upfitter switch		

Item	Description	Qty	Price
88.	Work Light, LED, Undercarriage, Waterproof, 13 L (Maxxima #M84420-B)	5	
	One (1) installed under each corner of the body, the 5th one installed under the ICC bumper - To be on a sperate upfitter switch		
89.	Remote Spot Light, LED, Permanent Mount, With Wireless Dash Mounted Controls And Programmable Wireless Remote (Go-Light #20074)	1	
	Mounted on the CS of the chassis hood		
90.	Single Tone Backup Alarm, Installed between the chassis frame rails at the rear of the chassis. To work in conjunction with chassis reverse drive system.	1	
91.	Trailer Receptacle, 7-Way (Blade Type) Installed At Rear	1	
92.	Upfitter Switches, Dodge (Supplied With Chassis)	1	
93.	Inverter, 2400 Watt, Pure Sine Wave, 120/240 VAC (Sensata #12/2400DN)	1	
	Installed in CS 1st Vertical		
94.	Inverter Wired Ignition Hot To Switch Mounted In Chassis Cab	1	
95.	Deep Cycle Auxiliary Battery For Vented Applications (Group 31) (Specify a Location)	2	
	Installed in battery box located in cargo area on CS near bulkhead		
96.	Electrical Receptacle, 120 Volt, GFCI, Includes Weather-Resistant Enclosure	1	
	One (1) installed in CS 1st vertical with inverter - One (1) installed on CS side of tailshelf between rear vertical and access steps		
97.	Power Distribution Module (PDM-6) is a compact self-contained electronic system that provides a standardized interface with the chassis electrical system. (Includes Operator's Manual)	1	
98.	Install Remote Engine Start/Stop System In Final Assembly	1	
99.	Install Secondary Stowage System In Final Assembly	1	
100.	PTO Indicator Light, Installed In Cab	1	
	Finishing Details		
101.	Front and Rear Frame Mounted and Under Body Mounted Components (With the Exception of Rust Resistant Components) Will Be Painted Black DEPS 005 DEPS 095 (Includes Non OEM Front Bumpers and Cabguards)	1	
102.	Powder Coat Unit Altec White	1	
103.	Finish Paint Body Accessories Above Body Floor Altec White	1	
104.	Heavy Duty Cargo Coating, Gator Hyde	1	
	Cargo area floor & tailshelf.		

Item	Description	Qty	Price
	· To also be applied to compartment tops		
105.	Safety and Instructional Decals English	1	
106.	Vehicle Height Placard Installed In Cab DEPS 002	1	
107.	HVI-22 Hydraulic Oil Placard	1	
108.	DOT Certification Required	1	
	2581 Commonwealth Ave Jacksonville, FL 32254		
109.	Dielectric Test Unit According to ANSI Requirements	1	
110.	Stability Test Unit According to ANSI Requirements	1	
111.	Focus Factory Build	1	
112.	Delivery Of Completed Unit	1	
113.	Inbound Freight	1	
114.	As Built Electrical and Hydraulic Schematics to be Included In the Manual Pouch (Deps 024)	1	
115.	Completed Test Forms To Be Included In The Manual Pouch: -Stability Test Form -Dielectric Test Form (For Insulated Units)	1	
116.	AT40G FA Installation	1	
	Chassis		
117.	Altec Supplied Chassis	1	
118.	Chassis	1	
119.	2025 Model Year	1	
	MY2026		
120.	Dodge Ram 5500	1	
121.	Dual Rear Wheel	1	
122.	4x2	1	
123.	Chassis Cab	1	
124.	Regular Cab	1	
125.	Chassis Color - White	1	
126.	AM/FM Radio	1	

Item	Description	Qty	Price
127.	Bluetooth	1	
128.	Block Heater	1	
129.	Cold Weather Group (Includes Block Heater)	1	
130.	Limited Slip Rear Axle	1	
131.	Running Boards (Supplied By Chassis OEM)	1	
132.	Side Mirrors, Power Adusting, Manual Folding, Non-Telescopic with Heated Glass	1	
133.	Snow Plow Package	1	
134.	Air Conditioning	1	
135.	Cruise Control	1	
136.	Keyless Entry	1	
137.	Power Door Locks	1	
138.	Power Windows	1	
139.	Tinted Windshield	1	
140.	Other Interior Cab Options	1	
	Center Console		
141.	60 Clear CA (Round To Next Whole Number)	1	
142.	Chassis Wheelbase Length - 144.5	1	
143.	GVWR 19,500 LBS	1	
144.	7,250 LBS Front GAWR	1	
145.	13,500 LBS Rear GAWR	1	
146.	Spring Suspension	1	
147.	Cummins 6.7L Turbo Diesel (Dodge)	1	
148.	Diesel	1	
149.	305 HP Engine Rating	1	
150.	Aisin AS69RC Automatic Transmission (Dodge Chassis)	1	
151.	4.44 Axle Ratio	1	
152.	NFH - RAM 52 Gallon Fuel Tank (Rear)	1	
153.	RAM 9 Gallon DEF Tank (Under Cab Left Hand)	1	
154.	Dodge 3500-5500 Single Horizontal Right Side Exhaust	1	

Item	Description	Qty	Price
155.	Clean Idle Certification	1	
156.	CARB Compliant	1	
157.	225/70R19.5 Front Tire	1	
158.	225/70R19.5 Rear Tire	1	
159.	Hydraulic Brakes	1	
160.	Park Brake In Rear Wheels	1	
161.	Single Alternator (220 amp Minimum)	1	
162.	AZB - Heavy Duty Front Suspension Group	1	
163.	Dodge PTO Prep Package (Right Hand Side PTO) (LBN)	1	
164.	Vinyl Split Bench Seat	1	
	Additional Pricing		
165.	Standard Altec Warranty: One (1) year parts warranty, one (1) year labor warranty, ninety (90) days warranty for travel charges, limited lifetime structural warranty	1	

Unit / Body / Chassis Total	**152,269.00**
FET Total	**0.00**
Total	**152,269.00**

Altec Industries, Inc.

BY

Nadine H Stacey

Notes:

1 Altec will make every effort to honor this quotation, subject to the following provisions. Prices for equipment with production start dates 12 months and beyond are budgetary only due to irregular cost inflation and market volatility. These prices will be reviewed based on market conditions and confirmed closer to the production date.

For a quoted chassis model year beyond the current open order bank, chassis model year, specifications and price should be considered estimates only and subject to change. Chassis model year, specifications and price will be reviewed and confirmed when specific model year information becomes available from the OEM.

2 Altec takes pride in offering solutions that provide a safer work environment for our customers. In an effort

to focus on safety, we would encourage you to consider the following items:

Outrigger pads (When Applicable)
Fall Protection System
Fire extinguisher/DOT kit
Platform Liner (When Applicable)
Altec Sentry Training
Wheel Chocks

The aforementioned equipment can be offered in our new equipment quotations. If you find that any of these items have not been listed as priced options with an item number in the body of your quotation and are required by your company, we would encourage you to contact your Altec Account Manager and have an updated quote version sent to you. These options must be listed with an item number in the quotation for them to be supplied by Altec.

3 The final fully loaded weight of the truck and structural ratings of the hitch assembly may reduce the towing capacity and the vertical load capacity of the finished truck. These capacities may not match the ratings of the chassis or hitch.

4 Altec Extended Warranty Option:

An Altec Extended Warranty is an extension of Altec's Limited Warranty and protects you from the repair cost associated with defects of materials and workmanship after the standard Limited Warranty expires.

Altec offers many types of coverages and coverage packages. Ask your Altec account manager for details. Quotes are available upon request.

5 Unless otherwise noted, all measurements used in this quote are based on a 40 inch (1016mm) chassis frame height and standard cab height for standard configurations.

6 Altec Standard Warranty:

One (1) year parts warranty.

One (1) year labor warranty.

Ninety (90) days warranty for travel charges.

Warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Altec is to supply a self-directed, computer based training (CBT) program. This program will provide basic instruction in the safe operation of this aerial device. This program will also include and explain ANSI and OSHA requirements related to the proper use and operation of this unit.

Altec offers its standard limited warranty with the Altec supplied components which make up the Altec Unit and its installation, but expressly disclaims any and all warranties, liabilities, and responsibilities, including any implied warranties of fitness for a particular purpose and merchantability, for any customer supplied parts

Altec designs and manufactures to applicable Federal Motor Vehicle Safety and DOT standards

7 Price does not reflect any local, state or Federal Excise Taxes (F.E.T). The quote also does not reflect any local title or licensing fees. All appropriate taxes will be added to the final price in accordance with

regulations in effect at time of invoicing.

8 F.O.B. - #FOB_TERMS#

9 Altec values your data privacy. The Altec Family of Companies (including Altec, Inc., and it's subsidiaries) may collect telematics data from the equipment you own. Please review Altec's Equipment Data Privacy Notice on www.altec.com for more information. By purchasing equipment from Altec, you consent to Altec's right to collect and use such data.

10 Interest charge of 1/2% per month to be added for late payment.

11 Changes made to this order may affect whether or not this vehicle is subject to F.E.T. A review will be made at the time of invoicing and any applicable F.E.T. will be added to the invoice amount.

12 Trade-in offer is conditional upon equipment being maintained to DOT (Department of Transportation) operating and safety standards and remaining in compliance of DOT until arrival at an Altec Facility. This will include, but is not limited to engine, tires, lights, brakes, glass, etc. All equipment, i.e., jibs, winches, pintle hooks, trailer connectors, etc., are to remain with unit unless otherwise agreed upon in writing by both parties. ALTEC Industries reserves the right to re-negotiate its trade-in offer if these conditions are not met.

All reasonable and necessary expenses required of ALTEC Industries to execute transportation of the trade-in will be invoiced to the customer for payment if these conditions are not met to maintain DOT standards.

Customer may exercise the option to rescind this agreement in writing within sixty (60) days after receipt of purchase order. After that time ALTEC Industries will expect receipt of trade-in vehicle upon delivery of new equipment as part of the terms of the purchase order unless other arrangements have been made.

13 Any payment made by a credit card may be subject to a surcharge fee.

14 Estimated Delivery: #DELIVERY_MONTHS# months after receipt of order PROVIDING:
A. Customer supplied chassis is received a minimum of sixty (60) days before scheduled delivery.
B. Customer approval drawings are returned by requested date.
C. Customer supplied accessories are received by date necessary for compliance with scheduled delivery.
D. Customer expectations are accurately captured prior to major components being ordered (body, chassis) and line set date. Unexpected additions or changes made after this time or at a customer inspection will delay the delivery of the vehicle.

Estimated Delivery is based on information at time of quote and is subject to change.

Altec reserves the right to change suppliers in order to meet customer delivery requirements, unless specifically identified, by the customer, during the quote and or ordering process.

15 After the initial warranty period, Altec Industries, Inc. offers mobile service units, in-shop service and same day parts shipments on most parts from service locations nationwide at an additional competitive labor and parts rate. Call 877-GO-ALTEC for all of your Parts and Service needs.

16 This quotation is valid until #EXPIRE_DATE#. After this date, please contact Altec Industries, Inc. for a possible extension.

17 FINANCING AVAILABLE: Please contact Altec Capital at (888) 408-8148 or email finance@altec.com for more information.

18 Please direct all questions to Paul Hinson at

SUBJECT: 2022 40-Foot Bucket Truck (Insulated Telescopic Articulating Aerial Device)

BID #: SC-0343-21 **OPEN DATE:** 3/31/2021

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: Supply Contract – Date of award through September 30, 2021 with two (2) one (1) year renewal options

AGENCY: Fleet Management Division

BASIS OF AWARD: All of None to the lowest responsive, responsible bidder

NUMBER OF BIDS INVITED: 6 **NUMBER RECEIVED:** 4 **OTHER:** 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to utilize the first of two (2) renewal options with Altec Industries, Inc. Period of service is from October 1, 2021 through September 30, 2022. Total revised estimated annual expenditure amount is $ 137,704.00 (includes an increase of $15,528.00 due to the increase in steel prices, and 3-5% increase on the chassis). Total expenditure amount not to exceed $382,056.00.

Funding Source: 51103.114001.564010.000000.00000500.00000.0000000 – To be encumbered by purchase order

Attachments: Recommendation Memo, Vendor Letter/Quote and Previous Awards

This award is subject to appropriation by the City in the fiscal year beginning October 1, 2021. No funds have been appropriated to date. The City has no obligation for payment and work hereunder is not authorized unless funds are appropriated for the work herein A written notification will be provided in the event that funds are appropriated

Analyst: Annette Barney **RESPECTFULLY SUBMITTED:** GREGORY PEASE, CHIEF PROCUREMENT DIVISION

CONCURRENCE BY: Crisencio Tongol, Chief, Fleet Management Division

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING 3 MEMBERS DISAPPROVING Ø DATE: 9/9/2021

OTHER:

ACTION OF AWARDING AUTHORITY DATE 9-10-21

APPROVED ✓ DISAPPROVED

OTHER

SIGNATURE OF AUTHENTICATION

Brian Hughes
Chief Administrative Officer
For: Mayor Lenny Curry
Under Authority of:
Executive Order No: 2019-02

SUBJECT: 2022 40-Foot Bucket Truck (Insulated Telescopic Articulating Aerial Device)

BID #: SC-0343-21

OPEN DATE: 3/31/2021

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: Supply Contract – Date of award through September 30, 2021 with two (2) one (1) year renewal options

AGENCY: Fleet Management Division

BASIS OF AWARD: All of None to the lowest responsive, responsible bidder

NUMBER OF BIDS INVITED: 6 NUMBER RECEIVED: 4 OTHER: 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to increase the award to Altec Industries, Inc by $122,176 00 for the period ending September 30 2021. Total revised expenditure amount not to exceed $244,352 00

Funding Source: 51103 114001.564010.000000 00000000 00000 0000000 – To be encumbered by purchase order

Attachments: Recommendation Memo and Previous Award

Analyst: Annette Burney

RESPECTFULLY SUBMITTED: GREGORY PEASE, CHIEF PROCUREMENT DIVISION

CONCURRENCE BY: Crisencio Tongol, Chief, Fleet Management Division

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING 3 MEMBERS DISAPPROVING 0 DATE: 5/6/2021

Teresa R Eubanks

OTHER

ACTION OF AWARDING AUTHORITY DATE 5/6/21

APPROVED ✓ DISAPPROVED

OTHER

SIGNATURE OF AUTHENTICATION

17

SUBJECT: 2022 40-Foot Bucket Truck (Insulated Telescopic Articulating Aerial Device)

BID #: SC-0343-21

OPEN DATE: 3/31/2021

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: Supply Contract – Date of award through September 30, 2021 with two (2) one (1) year renewal options

AGENCY: Fleet Management Division

BASIS OF AWARD: All of None to the lowest responsive, responsible bidder

NUMBER OF BIDS INVITED: 6 NUMBER RECEIVED: 4 OTHER: 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to reject Ring Power Corporation for failure to meet the requirements of the specifications
Recommend approval of award to the lowest responsive, responsible bidder, Altec Industries, Inc Period of service is from date of award through September 30, 2021 with two (2) one (1) year renewal options Total expenditure amount not to exceed $122,176.00.

Funding Source: 51103 114001.564010.000000.00000000.00000.0000000 – To be encumbered by purchase order

Attachments: Recommendation Memo, Tabulation, Rejection Letters and Terms and Conditions

Analyst: Annette Bunger

RESPECTFULLY SUBMITTED: GREGORY PEASE, CHIEF PROCUREMENT DIVISION

CONCURRENCE BY: Crisencio Tongol, Chief, Fleet Management Division

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING 3 MEMBERS DISAPPROVING 0 DATE 4/22/2021

OTHER

T 4/26/2021