SUBJECT: **DEMO & SITE CLEARANCE OF 42 PROPERTIES--JSEB SET-ASIDE**

BID# JCF-0075-17 OPEN DATE: **2017-02-01**

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT:
CONSTRUCTION FIXED

AGENCY: **MUNICIPAL CODE**

BASIS OF AWARD: **BY ITEM TO THE LOWEST RESPONSIVE, RESPONSIBLE BIDDER**

NUMBER OF BIDS INVITED 6 NUMBER RECEIVED 2 OTHER 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:

Item #24 was awarded to ERS Corp, on 02/09/17 in the amount of $6,890.00 which included $275.00 cost of asbestos survey as required by the bid specifications. The performed survey requires a wet demolition be performed prior to demolition.

Recommend approval to rescind the award to ERS Corp for Item #24 (PO#7A07447 reduced from $6,890.00 to $275.00 to pay for the asbestos survey) and re-award the wet demolition to the new lowest responsive, responsible bidder Michael Lloyd Hauling, Inc., in the amount of $10,500.00 (cost of wet demolition $10,775.00 - $275.00 for survey). Revised total award amount for Item #24 not-to-exceed $10,500.00.

This award is to be funded by account: ERCD1N1FR-03410 to be executed by Purchase Order/Change Order.

Attachments: Recommendation Memo, Bid Tabulation Sheet, Asbestos Report, Vendor Rescission Confirmation Letter, Previous Award

BUYER: _____ RESPECTFULLY SUBMITTED: _____
MARILYN LAIDLER For- GREGORY PEASE, CHIEF PROCUREMENT DIVISION

CONCURRENCE BY: **Bryan Mosier, Chief, Municipal Code Compliance Division**

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE: _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

FORM GB-108, Revised 12/2007

City of Jacksonville, Florida

Lenny Curry, Mayor

Municipal Code Compliance Division
Ed Ball Building
214 N. Hogan Street, 7th Floor
Jacksonville, Florida 32202

ONE CITY. ONE JACKSONVILLE.

June 22, 2017

M E M O R A N D U M

TO: Gregory Pease, Division Chief
Procurement Division

FROM: Bryan Mosier, Division Chief
Municipal Code Compliance Division

RE: **Change order request for item #24 on JCF-0075-17**

The asbestos survey of the condemned structure at 2023 Payne Av. revealed asbestos in the 9"x9" vinyl floor tile (VFT) – green with black mastic, 1'x1' vinyl floor tile (VFT) wood pattern self-adhesive vinyl floor tile over 9"x9" vinyl floor tile (VFT) – brown with black mastic and the 1'x1' vinyl floor tile (VFT) wood pattern self-adhesive vinyl tile over 1'x1' VFT white with yellow mastic over VFT brown with black mastic with green vinyl, which must be removed utilizing a wet demolition method.

I recommend approval to rescind the award to ERS (PO#7A07447 reduced from $6,890.00 to $275.00 to pay for the asbestos survey) and re-award the wet demolition to the new lowest, responsible, responsive bidder Michael Lloyd Hauling, Inc. in the amount of $10,500.00(cost of wet demolition $10,775.00 - $275.00 for survey).

Contractor	Item Number	Amount
Michael Lloyd Hauling, Inc.	24	$10,500.00

Funding Source: ERCD1N1FR /03410

BM/ds

TITLE: DEMO & SITE CLEARANCE OF 42 PROPERTIES BID NO.: JCF-0075-17 (MUNICIPAL CODE)		MICHAEL LLOYD HAULING, INC.				ERS, CORP			
24	2023 PAYNE AVE.(MULTI- FAMILY) DESCRIBED AS; 4-77 11-25-26E -17 HENDERSONVILLE S 6.51FT LOT 6, LOTS 7,8 BLK 3 (DEMOLITION AND SITE CLEARANCE) R.E. #053107-0500 (CONTRACT MUST SUBMIT A BID FOR THE COST OF AN ASBESTOS SURVEY AND WET DEMOLITION) (URBAN CORE)	$ 275.00	$ 7,500.00	$ 7,775.00	$ 10,775.00	$ 275.00	$ 6,615.00	$ 6,890.00	$ 12,000.00
	2047 PROSPECT STREET (SINGLE FAMILY) DESCRIBED AS; 4-38								

ENVIRONEERING INC.
109 AZALEA POINT DRIVE SOUTH • PONTE VEDRA BEACH • FLORIDA • 32082

June 7, 2017

Mr. John Anderson, President
E. R. S. Corp
760 Talleyrand Avenue
Jacksonville, Florida 32202

Reference: Five (5) Single Story Structure Apartments – Asbestos Demolition Survey – Revision #2 - 02/17/2016
2023, 2041 & 2043 Payne Avenue – JON 5122/5373/6008
1070, 1072 & 1082West 11th Street (Underlined – Already Demolished)
Jacksonville, Florida

Dear Mr. Anderson:

Pursuant to your request an Asbestos Demolition Survey has been preformed at the above location for the purpose of identifying asbestos that needs to be removed prior to the planned demolition of the structures. The purpose of the investigation was to visually identify homogenous materials that need to have bulk samples obtained for analysis to determine the presence of Asbestos Containing Building Materials with in the structures. The facility has one single story structure for demolition, which is constructed with concrete, vinyl floor tile, window glazing, adhesive, steel, plaster and paint. There were thirty six (36) suspected materials that were sampled for Polarized Light Microscopy (PLM) analysis. Based on the visual inspection, it was evident that regulated Asbestos Material was found to be present at the facility. The scope of work for this survey included sampling and analysis of suspect homogenous building materials. The asbestos demolition inspection process was initiated on December 22, 2014. Materials must contain greater than 1% asbestos to be regulated. The following recommendations are provided for the material that was found to contain Asbestos Fibers within the referenced structure.

RECOMMENDATIONS

Recommended response actions have been selected for all Asbestos Containing Materials identified by this survey within the facility. Recommendations for response actions, where arrived at, are stated as follows:

FRIABLE ASBESTOS CONTAINING MATERIALS

Friable Asbestos Material means any material containing more than one (1%) percent asbestos, that when dry can be crumbled, pulverized or reduced to powder by hand pressure.

(904) 665-0100 (904) 612-1456 • MOBILE (904) 665-0101• FAX

Friable Asbestos Material was found in the following area:

None.

The above material is considered friable and must be removed by a Certified Florida Asbestos Abatement Contractor prior to any disturbance caused by renovation or demolition of the referenced structure.

CATEGORY I, NON-FRIABLE ASBESTOS MATERIAL

HM-A7-1 9"X9" Vinyl Floor Tile - Green with Black Mastic [2% Chrysotile Asbestos Tile & <1% Chrysotile Asbestos Mastic Layer]

HM-A10-1 1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 9"X9" VFT Brown with Black Mastic [8% Chrysotile Asbestos Tile & 2% Chrysotile Asbestos Mastic Layer]

HM-A11-1 1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 1'X1' VFT White with Yellow Mastic over VFT Brown with Black Mastic with Green Vinyl [Four Layers] [8% Chrysotile Asbestos Tile Brown & 2% Chrysotile Asbestos Mastic Layer Black]

CATEGORY II, NON-FRIABLE ASBESTOS MATERIAL

None.

NONREGULATED

None.

The preceding materials are considered a Category I or II Non-Friable Material and therefore, under normal circumstances, the Category I material does not need not be removed prior to demolition, because generally these materials do not release significant amounts of Asbestos Fibers, even when damaged.

Category I material must be kept wet to prevent the release of fibers during demolition. The Category I asbestos waste must be placed in a permitted asbestos landfill in accordance with FDEP regulations. Friable asbestos and Category II material must be removed prior to demolition or renovation of the structure.

Yet, in the event removal is deemed necessary as a part of renovation all Asbestos Containing Material should be removed by a Florida Licensed Asbestos Contractor.

The structure has an address of, 2023 Payne Avenue, Jacksonville, Florida. The facility was at one time a apartment building. The facility has one single story structure for demolition.

The building materials identified in this asbestos renovation survey were in good condition to significantly damaged at the time of the inspection. The material condition can change over time and will degrade with exposure to water, air movement, physical damage, weather and chemical exposure. The structures have addresses on Payne Avenue and West 11th Street, Jacksonville, Florida. The facility was at one time a residential apartment complex. The facility has no detached structures. Five of the structures have been demolished. When implementing the response actions, parties responsible for final selection should remember that actions shall be sufficient to protect HUMAN HEALTH AND THE ENVIRONMENT, but may also be the least burdensome method. Nothing in these recommendations should be construed as PROHIBITING or discouraging removal. All parties shall comply with all applicable laws, ordinances, rules and regulations of Federal, State and Local Governments and Agencies relating to or affecting the proposed work in whole or in part when implementing any response action associated with the facility. The following samples are recommended to be further analyzed by the point count method using a positive stop approach.

None.

This asbestos survey shall not be used as a design or specification for the removal of asbestos within the referenced structure.

RECOMMENDATIONS FOR ASBESTOS ABATEMENT: (2023 Payne Avenue, Jacksonville, Florida)

The HM-A7-1, HM-A10-1 and HM-A11-1 must be removed prior to the demolition of the structure by a Florida Licensed Asbestos Abatement Contractor if the concrete is to be recycled. It is recommended that the structure be demolished using standard demolition methods and procedures once the HM-A7-1, HM-A10-1 and HM-A11-1 has been properly abated by a Florida Licensed Asbestos Abatement Contractor. The building may be wet demolished if the concrete is sent to a permitted landfill for proper disposal. The wet demolition methods must comply with 29 CFR Part 1926.1101 using appropriately trained employees with asbestos personnel monitoring unless the contractor has a negative exposure assessment that is less than one year old.

It has been a pleasure working with you and I look forward to working with you once again in the future. I can be reached at (904) 665-0100 or mobile (904) 612-1456 if you should have any questions.

Respectfully submitted,

6/7/2017

Timothy W. Rudolph, P.E., L.A.C.
Licensed Asbestos Consultant AX 0000058
Asbestos Business License ZA0000243
<NWJCDC-ASBESTOS- SURVEY-JON-5122-5372.doc>

ROUTINE **CHAIN OF CUSTODY FORM** **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

ROUTINE TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 12/22/2014
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: P&G Land Clearing
2023, 2041 & 2043 Payne Avenue
1070, 1072 & 1082 West 11th Street
<COC-DOVE-5075-1.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
1-1,2&3	BULK	Plaster Wall System - Over Drywall Board - Two Coat White/Gray	White/Gray/Wall	NF
2-1,2&3	BULK	1'X1' Vinyl Floor Tile - Brown w/ Black Mastic	Brown/Floor	NF
3-1,2&3	BULK	Attic Insulation - Aluminum	Aluminum/Ceiling	F
4-1,2&3	BULK	Roof System - Black	Black/Roof	NF
5-1,2&3	BULK	Window Glazing - White	White/Window	NF
6-1,2&3	BULK	Yellow Adhesive - Wall	Yellow/Wall	NF

ASBESTOS - PLM *** USE POSITIVE STOP METHOD ***

CHAIN OF CUSTODY CHECK # 2102

Date/Time	Released by:	Date/Time	Released by:
12/22/2014 - 19:00			
	TIM RUDOLPH		

c:\program files\Microsoft office\office\mervin\COC1

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING-1033 PAYNE AVENUE, JACKSONVILLE, FL (JON 5122)
CONSULT: T.W. RUDOLPH

PAGE : 1
DATE : 01/08/15
SAMPLE ID : D501438

NVLAP Lab Code: 102053-0

LAB NO. : 01
FRI/HOM : YES/NO LAYERS: 04 SAMPLE NO.: 1-1
DESCRIPTION : PLASTER WALL SYSTEM-OVER DRYWALL BOARD-TWO COAT DATE OF ANALYSIS: 01/08/15
WHITE/GRAY
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 70% MINERALS
10% PAINT

LAB NO. : 02
FRI/HOM : YES/NO LAYERS: 04 SAMPLE NO.: 1-2
DESCRIPTION : PLASTER WALL SYSTEM-OVER DRYWALL BOARD-TWO COAT DATE OF ANALYSIS: 01/08/15
WHITE/GRAY
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 70% MINERALS
10% PAINT

LAB NO. : 03
FRI/HOM : YES/NO LAYERS: 04 SAMPLE NO.: 1-3
DESCRIPTION : PLASTER WALL SYSTEM-OVER DRYWALL BOARD-TWO COAT DATE OF ANALYSIS: 01/08/15
WHITE/GRAY
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 70% MINERALS
10% PAINT

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. A to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permission from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Rammath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE, SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING 1033 PAYNE AVENUE.
JACKSONVILLE, F. (JON 5122)
CONSULT: T.N. RUDOLPH

PAGE : 2
DATE : 01/08/15
SAMPLE ID : 0501438

NVLAP Lab Code: 102053 0

LAB NO. : 04
FRI/HOM : NO/NO
DESCRIPTION : 1'X1' VINYL FLOOR TILE-BROWN W/BLACK MASTIC
LAYERS: 02
SAMPLE NO.: 2-1
DATE OF ANALYSIS: 01/08/15
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 30% MINERALS
60% POLYMERS
8% RESINS

LAB NO. : 05
FRI/HOM : NO/NO
DESCRIPTION : 1'X1' VINYL FLOOR TILE-BROWN W/BLACK MASTIC
LAYERS: 02
SAMPLE NO.: 2-2
DATE OF ANALYSIS: 01/08/15
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 30% MINERALS
60% POLYMERS
8% RESINS

LAB NO. : 06
FRI/HOM : NO/NO
DESCRIPTION : 1'X1' VINYL FLOOR TILE-BROWN W/BLACK MASTIC
LAYERS: 02
SAMPLE NO.: 2-3
DATE OF ANALYSIS: 01/08/15
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 30% MINERALS
60% POLYMERS
8% RESINS

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 716, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

R Ramnath

Analyst 1

Ramnath

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE, SOUTH PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING-1033 PAYNE AVENUE, JACKSONVILLE, FL (JDN 5122)
CONSULT: T.W. RUDOLPH

PAGE : 3
DATE : 01/08/15
SAMPLE ID : D501430

NVLAP Lab Code: 102053-0

LAB NO. : 07
FRI/HOM : YES/NO LAYERS: 03
DESCRIPTION : ATTIC INSULATION-ALUMINUM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 60% MINERALS

SAMPLE NO.: 3 1
DATE OF ANALYSIS: 01/08/15

20% RESINS

LAB NO. : 08
FRI/HOM : YES/NO LAYERS: 03
DESCRIPTION : ATTIC INSULATION-ALUMINUM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 60% MINERALS

SAMPLE NO.: 3 2
DATE OF ANALYSIS: 01/08/15

20% RESINS

LAB NO. : 09
FRI/HOM : YES/NO LAYERS: 03
DESCRIPTION : ATTIC INSULATION-ALUMINUM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 20% CELLULOSE
NON FIBERS : 60% MINERALS

SAMPLE NO.: 3-3
DATE OF ANALYSIS: 01/08/15

20% RESINS

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method (0 CFR PL. 916, App. A to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.

8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING 1033 PAYNE AVENUE,
JACKSONVILLE, FL (JON 5122)
CONSULT: T.W. RUDOLPH

PAGE : 4
DATE : 01/08/15
SAMPLE ID : D501436

NVLAP Lab Code: 102053-0

LAB NO. : 10
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : BLACK ROOF SYSTEM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 15% CELLULOSE
NON FIBERS : 10% MINERALS

SAMPLE NO.: 4-1
DATE OF ANALYSIS: 01/08/15

75% BITUMEN

LAB NO. : 11
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : BLACK ROOF SYSTEM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 15% CELLULOSE
NON FIBERS : 10% MINERALS

SAMPLE NO.: 4-2
DATE OF ANALYSIS: 01/08/15

75% BITUMEN

LAB NO. : 12
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : BLACK ROOF SYSTEM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 15% CELLULOSE
NON FIBERS : 10% MINERALS

SAMPLE NO.: 4-3
DATE OF ANALYSIS: 01/08/15

75% BITUMEN

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. A to Subpart E EPA/600/R-93/116. Measurement Uncertainty Information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-tile is non-homogeneous and results only reflect sample content.

Analyst

R. Pepe Raunath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONFERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING 1033 PAYNE AVENUE, JACKSONVILLE, FL (JON 5122)
CONSULT: T.W. RUDOLPH

PAGE : 5
DATE : 01/08/15
SAMPLE ID : D501430

NVLAP Lab Code: 102053-0

LAB NO. : 13
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : WINDOW GLAZING-WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 3% CELLULOSE
NON FIBERS : 17% MINERALS
80% RESINS

SAMPLE NO.: 5-1
DATE OF ANALYSIS: 01/08/15

LAB NO. : 14
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : WINDOW GLAZING-WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 3% CELLULOSE
NON FIBERS : 17% MINERALS
80% RESINS

SAMPLE NO.: 5-2
DATE OF ANALYSIS: 01/08/15

LAB NO. : 15
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : WINDOW GLAZING-WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 3% CELLULOSE
NON FIBERS : 17% MINERALS
80% RESINS

SAMPLE NO.: 5-3
DATE OF ANALYSIS: 01/08/15

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 763, App. E to Subpart E EPA/600/2-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at client's request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permission from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE, SOUTH PONTE VEDRA BCH FL 32082
PROJECT: P&G LAND CLEARING-7033 PAYNE AVENUE, JACKSONVILLE, FL (JON 5122)
CONSULT: T.W. RUDOLPH

PAGE : 6
DATE : 01/08/15
SAMPLE ID : D501436

NVLAP Lab Code: 102053 0

LAB NO. : 6
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : YELLOW ADHENSIVE - WALL
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 3% MINERALS

SAMPLE NO.: 6-1
DATE OF ANALYSIS: 01/08/15

95% RESINS

LAB NO. : 17
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : YELLOW ADHENSIVE - WALL
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 3% MINERALS

SAMPLE NO.: 6-2
DATE OF ANALYSIS: 01/08/15

95% RESINS

LAB NO. : 18
FRI/HOM : NO/YES LAYERS: 01
DESCRIPTION : YELLOW ADHENSIVE - WALL
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 2% CELLULOSE
NON FIBERS : 3% MINERALS

SAMPLE NO.: 6-3
DATE OF ANALYSIS: 01/08/15

95% RESINS

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. A to Subpart E EPA/600/R-93/116. Measurement traceability information is available by contacting the laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst I

R. Pepe Ramnath, PhD
LABORATORY MANAGER

RUSH **CHAIN OF CUSTODY FORM** **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 10/15/2015
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: NWJCDC, Incorporated
2023, 2041 & 2043 Payne Avenue
1070, 1072 & 1082 West 11th Street
<COC-DOVE-5122-2.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A7-1,2&3	BULK	9"X9" Vinyl Floor Tile - Green with Black Mastic	Green/Floor	NF
A 8-1,2&3	BULK	Roof Mastic Patch - Black	Black/Roof	NF
A9-1,2&3	BULK	Drywall System - Ceiling White	White/Ceiling	NF

ASBESTOS - PLM * USE POSITIVE STOP METHOD *

CHAIN OF CUSTODY CHECK #

Date/Time	Released by:	Date/Time	Released by:
10/15/15 - 19:00			
	TIM RUDOLPH		

D510348

RUSH **CHAIN OF CUSTODY FORM** **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 10/15/2015
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: NWJCDC, Incorporated
1033 Payne Avenue
Jacksonville, Florida
<COC-DOVE-5122-2.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A7-1,2&3	BULK	9"X9" Vinyl Floor Tile - Green with Black Mastic	Green/Floor	NF
A 8-1,2&3	BULK	Roof Mastic Patch - Black	Black/Roof	NF
A9-1,2&3	BULK	Drywall System - Ceiling White	White/Ceiling	NF

ASBESTOS - PLM * USE POSITIVE STOP METHOD *

CHAIN OF CUSTODY

Date/Time	Released by:	Date/Time	Released by:
10/15/15 - 19:00	TIM RUDOLPH		

CHECK #

c:\program files\Microsoft office\office\mervin\COC1

ENCLOSURE (2)
Environeering, Inc. Ltr Dtd 10/23/2015

RUSH **CHAIN OF CUSTODY FORM** **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 10/20/2015
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: NWJCDC, Incorporated
2023, 2041 & 2043 Payne Avenue
1070, 1072 & 1082 West 11th Street
<COC-DOVE-5122-2.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A10-1,2&3	BULK	1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 9"X9" VFT Brown with Black Mastic	Brown/Floor	NF

ASBESTOS - PLM *** USE POSITIVE STOP METHOD ***

CHAIN OF CUSTODY CHECK #

Date/Time	Released by:	Date/Time	Released by:
10/20/15 - 20:00			
	TIM RUDOLPH		

c:\program files\Microsoft office\office\mervin\COC1

D510363

RUSH CHAIN OF CUSTODY FORM **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 10/20/2015
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: NWJCDC, Incorporated
1033 Payne Avenue
Jacksonville, Florida
<COC-DOVE-5122-2.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A10-1,2&3	BULK	1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 9"X9" VFT Brown with Black Mastic	Brown/Floor	NF

ASBESTOS - PLM * USE POSITIVE STOP METHOD *

CHAIN OF CUSTODY

Received By: [signature] CHECK # Date/Time 10/21/15 @ 8:54

Date/Time	Released by:	Date/Time	Released by:
10/20/15 - 20:00	[signature]		
	TIM RUDOLPH		

c:\program files\Microsoft office\office\nervin\COC1

RUSH **CHAIN OF CUSTODY FORM** **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information		Date:	10/20/2015
Company Name:	ENVIRONEERING, INC.	Phone:	(904) 665-0100
Address:	109 Azalea Point Drive South	Fax:	(904) 665-0101
City, State, Zip:	Ponte Vedra Beach, FL 32082	Project:	NWJCDC, Incorporated
Contact:	Mr. Tim Rudolph	2023, 2041 & 2043 Payne Avenue	
		1070, 1072 & 1082 West 11th Street	
		<COC-DOVE-5122-2.XLS>	

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A11-1,2&3	BULK	1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 1'X1' VFT White with Yellow Mastic over VFT Brown with Black Mastic with Green Vinyl [Four Layers]	Brown/Floor	NF
A12-1,2&3	BULK	Sheet Flooring Wood Pattern - Kitchen, Hall & Living Room	Brown/Floor	NF

ASBESTOS - PLM *** USE POSITIVE STOP METHOD ***

CHAIN OF CUSTODY CHECK #

Date/Time	Released by:	Date/Time	Released by:
10/20/15 - 20:00			
	TIM RUDOLPH		

c:\program files\Microsoft office\office\mervin\COC1

D510363

RUSH CHAIN OF CUSTODY FORM **JON 5122**

ENVIRONEERING, INC., 109 Azalea Point Drive South, Ponte Vedra Beach, Florida 32082

To Laboratory: Dove Environmental Laboratory
8910 Miramar Parkway, Suite 200
Miramar, FL 33025

RUSH TAT

Customer Information
Company Name: ENVIRONEERING, INC.
Address: 109 Azalea Point Drive South
City, State, Zip: Ponte Vedra Beach, FL 32082
Contact: Mr. Tim Rudolph

Date: 10/20/2015
Phone: (904) 665-0100
Fax: (904) 665-0101
Project: NWJCDC, Incorporated
1033 Payne Avenue
Jacksonville, Florida
<COC-DOVE-5122-2.XLS>

Sample #	Sample Type	Sample Location	COLOR/AREA	F/NF
A11-1,2&3	BULK	1'X1' Vinyl Floor Tile (VFT) Wood Pattern Self Adhesive over 1'X1' VFT White with Yellow Mastic over VFT Brown with Black Mastic with Green Vinyl [Four Layers]	Brown/Floor	NF
A12-1,2&3	BULK	Sheet Flooring Wood Pattern - Kitchen, Hall & Living Room	Brown/Floor	NF

ASBESTOS - PLM *** USE POSITIVE STOP METHOD ***

CHAIN OF CUSTODY

Received by: [illegible] CHECK # Date: 10/21/15 @ 2:39

Date/Time	Released by:	Date/Time	Released by:
10/20/15 - 20:00	[signature]		
	TIM RUDOLPH		

c:\program files\Microsoft office\office\marvin\COC1

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, INC. (JON 5122)
1033 PAYNE AVE. JACKSONVILLE, FL
CONSULT:

PAGE : 1
DATE : 10/16/15
SAMPLE ID : D510340
NVLAP Lab Code: 102053-0

LAB NO. : 01
FRI/HOM : NO/NO LAYERS: 03
SAMPLE NO.: A7-1
DATE OF ANALYSIS: 10/16/15
DESCRIPTION : 9"X9" VINYL FLOOR TILE-GREEN WITH BLACK MASTIC
BLK MASTIC-<1% CHRY, TILE-2% CHRY
ASBESTOS TYPE: 2.5 % CHRYSOTILE
OTHER FIBERS : 2.5 % CELLULOSE
NON FIBERS : 85% MINERALS 10% PAINT

LAB NO. : 02
FRI/HOM : NO/NO LAYERS: 03
SAMPLE NO.: A7-2
DATE OF ANALYSIS: 10/16/15
DESCRIPTION : 9"X9" VINYL FLOOR TILE-GREEN WITH BLACK MASTIC
BLK MASTIC-<1% CHRY, TILE-2% CHRY
ASBESTOS TYPE: 2.5 % CHRYSOTILE
OTHER FIBERS : 2.5 % CELLULOSE
NON FIBERS : 85% MINERALS 10% PAINT

LAB NO. : 03
FRI/HOM : NO/NO LAYERS: 03
SAMPLE NO.: A7-3
DATE OF ANALYSIS: 10/16/15
DESCRIPTION : 9"X9" VINYL FLOOR TILE-GREEN WITH BLACK MASTIC
BLK MASTIC-<1% CHRY, TILE-2% CHRY
ASBESTOS TYPE: 2.5 % CHRYSOTILE
OTHER FIBERS : 2.5 % CELLULOSE
NON FIBERS : 85% MINERALS 10% PAINT

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, INC. (JON 5122)
1033 PAYNE AVE. JACKSONVILLE, FL
CONSULT:

PAGE : 2
DATE : 10/16/15
SAMPLE ID : D510340
NVLAP Lab Code: 102053-0

LAB NO. : 04
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : ROOF MASTIC PATCH-BLACK
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 90% BITUMEN

SAMPLE NO.: A8-1
DATE OF ANALYSIS: 10/16/15

LAB NO. : 05
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : ROOF MASTIC PATCH-BLACK
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 90% BITUMEN

SAMPLE NO.: A8-2
DATE OF ANALYSIS: 10/16/15

LAB NO. : 06
FRI/HOM : NO/NO LAYERS: 02
DESCRIPTION : ROOF MASTIC PATCH-BLACK
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 90% BITUMEN

SAMPLE NO.: A8-3
DATE OF ANALYSIS: 10/16/15

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. A to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, INC. (JON 5122)
1033 PAYNE AVE. JACKSONVILLE, FL
CONSULT:

PAGE : 3
DATE : 10/16/15
SAMPLE ID : D510340
NVLAP Lab Code: 102053-0

LAB NO. : 07
FRI/HOM : NO/NO LAYERS: 03
DESCRIPTION : DRYWALL SYSTEM-CEILING WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 75% MINERALS

SAMPLE NO.: A9-1
DATE OF ANALYSIS: 10/16/15
5% FIBER-GLASS
10% PAINT

LAB NO. : 08
FRI/HOM : NO/NO LAYERS: 03
DESCRIPTION : DRYWALL SYSTEM-CEILING WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 75% MINERALS

SAMPLE NO.: A9-2
DATE OF ANALYSIS: 10/16/15
5% FIBER-GLASS
10% PAINT

LAB NO. : 09
FRI/HOM : NO/NO LAYERS: 03
DESCRIPTION : DRYWALL SYSTEM-CEILING WHITE
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 10% CELLULOSE
NON FIBERS : 75% MINERALS

SAMPLE NO.: A9-3
DATE OF ANALYSIS: 10/16/15
5% FIBER-GLASS
10% PAINT

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. . All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

K Ramnath
Analyst 1

R Ramnath
R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, IMCORPORATED-1033 PAYNE AVE.,
JACKSONVILLE, FL (JON 5122)
CONSULT:

PAGE : 1
DATE : 10/21/15
SAMPLE ID : D510363
NVLAP Lab Code: 102053-0

LAB NO. : 01
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-1
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : 1'X1' VFT WOOD PATTERN SELF ADHESIVE OVER 9"X9"
VFT BRN W/BLK M (VFT BRN T-8%, BLK M-2%)
ASBESTOS TYPE: 10% CHRYSOTILE
OTHER FIBERS : 5% CELLULOSE
NON FIBERS : 75% MINERALS 10% RESINS

LAB NO. : 02
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-2
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : STOP @ 1ST POSITIVE
ASBESTOS TYPE:
OTHER FIBERS :
NON FIBERS :

LAB NO. : 03
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-3
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : STOP @ 1ST POSITIVE
ASBESTOS TYPE:
OTHER FIBERS :
NON FIBERS :

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, IMCORPORATED-1033 PAYNE AVE.,
JACKSONVILLE, FL (JON 5122)
CONSULT:

PAGE : 2
DATE : 10/21/15
SAMPLE ID : D510363
NVLAP Lab Code: 102053-0

LAB NO. : 04
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-1
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : 1'X1' VFT WOOD PATTERN SELF ADHESIVE
(VFT BROWN TILE-8% CHRY., BLK MASTIC-2% CHRY)
ASBESTOS TYPE: 10% CHRYSOTILE
OTHER FIBERS : 5% CELLULOSE
NON FIBERS : 75% MINERALS 10% RESINS

LAB NO. : 05
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-2
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : STOP @ 1ST POSTIVE
ASBESTOS TYPE:
OTHER FIBERS :
NON FIBERS :

LAB NO. : 06
FRI/HOM : NO/NO LAYERS: 04
SAMPLE NO.: A10-3
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : STOP @ 1ST POSTIVE
ASBESTOS TYPE:
OTHER FIBERS :
NON FIBERS :

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analysed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

DOVE ENVIRONMENTAL CORP.
8910 MIRAMAR PARKWAY, SUITE 200 MIRAMAR FL 33025
Tel. (954) 374-9274 Fax: (954) 639-7426

ASBESTOS TEST REPORT

CLIENT : ENVIRONEERING, INC.
ADDRESS: 109 AZALEA POINT DRIVE., SOUTH
PONTE VEDRA BCH FL 32082
PROJECT: NWJCDC, IMCORPORATED-1033 PAYNE AVE.,
JACKSONVILLE, FL (JON 5122)
CONSULT:

PAGE : 3
DATE : 10/21/15
SAMPLE ID : D510363
NVLAP Lab Code: 102053-0

LAB NO. : 07
FRI/HOM : NO/NO LAYERS: 08
SAMPLE NO.: A11
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : SHEET FLOOR WOOD PATTERN-KITCHEN HALL & LIVING RM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 5% CELLULOSE
NON FIBERS : 65% MINERALS 10% RESINS
20% POLYMERS

LAB NO. : 08
FRI/HOM : NO/NO LAYERS: 08
SAMPLE NO.: A11-2
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : SHEET FLOOR WOOD PATTERN-KITCHEN HALL & LIVING RM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 5% CELLULOSE
NON FIBERS : 65% MINERALS 10% RESINS
20% POLYMERS

LAB NO. : 09
FRI/HOM : NO/NO LAYERS: 08
SAMPLE NO.: A11-3
DATE OF ANALYSIS: 10/21/15
DESCRIPTION : SHEET FLOOR WOOD PATTERN-KITCHEN HALL & LIVING RM
ASBESTOS TYPE: NONE-DETECTED
OTHER FIBERS : 5% CELLULOSE
NON FIBERS : 65% MINERALS 10% RESINS
20% POLYMERS

Dove Environmental Corporation is solely responsible for analysis performed on sample content supplied by client and is NVLAP accredited for Method 40 CFR Pt. 736, App. E to Subpart E EPA/600/R-93/116. Measurement Uncertainty information is available by contacting the Laboratory. Laboratory Reports will be kept for a period of three (3) years electronically. Percentages are visually estimated. Point count performed at clients request only. Results relates only to item analyzed. This report should not be reproduced by client or anyone without written permision from Dove Environmental Corporation. All samples will be stored for a period of 1 month. The use of the term NVLAP does not constitute endorsement by NVLAP or any agency of the United States Government. Floor-Tile is non-homogeneous and results only reflect sample content.

Analyst 1

R. Pepe Ramnath, PhD
LABORATORY MANAGER

TERMS AND CONDITIONS
BID# JCF-0075-17

SCOPE OF WORK
The **MUNICIPAL CODE** division of the City of Jacksonville, Florida is currently accepting bids to obtain source(s) of supply for the services as outlined in the bid documents provided. The purpose of this bid invitation is to obtain information about your firm and its ability to provide these services and to obtain pricing commitments for **DEMO & SITE CLEARANCE OF 42 PROPERTIES** as listed in the bid documents All bidders of this project shall be on the approved pre-qualified bidders list with the City of Jacksonville's Procurement Division (info at www.coj.net) under **DEMOLITION LESS THAN 3 STORIES** category at the time of bid opening..

AWARD
Award will be **BY ITEM** to the lowest, responsive, responsible bidder based on the sum of an asbestos survey and an asbestos free demolition. Bidders must list a price for both the asbestos survey, and the total cost to perform a wet demolition, in order to be considered responsive. Any awarded item that requires a "wet demolition" per the asbestos survey is subject to being rescinded and re-awarded to the lowest responsive, responsible bidder for a "wet demolition". The City shall reserve the right to not award any "wet demolitions" and rebid at a later date if determined to be in the best interest of the City. All awards are subject to the availability of funds.

TERM OF AGREEMENT
Submitted bid pricing shall remain firm for one hundred twenty (120) days from the bid open date. In the event a Notice to Proceed is not issued prior to this, the successful bidder shall be required to confirm in writing, if the submitted pricing will be honored; The bid item may be subject to be awarded to the next lowest responsive, responsible bidder if determined to be in the best interest of the City.

Contractor shall complete all work for each project within **thirty (30)** days from the date of receipt of the "Notice to Proceed".

PRE-BID CONFERENCE
N/A

COMPLIANCE WITH SPECIFICATIONS
The bidder, by affixing their signature to the bid form submitted, agrees to provide item(s)/service(s) in accordance with the bid documents provided. Bid only a single offering for each bid item. Multiple offerings, alternates (unless stated) and or stipulations may be cause for bid rejection. Bid only on forms provided herein unless otherwise stated. Bid submissions shall be in ink or typewritten. All corrections must be initialed.

STATE CONTRACTS
The City reserves the right to utilize contracts established by the State of Florida and/or other governmental agencies for item(s)/service(s) covered under this bid. The City reserves the right to cancel this contract in whole or in part for such item(s)/service(s).

Transmission Report

Date/Time	06-29-2017	09:37:38 a.m.	Transmit Header Text	
Local ID 1	9042558837		Local Name 1	Procurement

This document : Confirmed
(reduced sample and details below)
Document size : 8.5"x11"

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

NOTIFICATION OF RECOMMENDED BID REJECTION/RESCISSION

June 29, 2017

John Anderson
ERS CORP.
760 Talleyrand Avenue
Jacksonville, FL 32202

BID# JCF-0075-17 **DATE OPENED: 2017/02/01**

REASON FOR RECOMMENDED REJECTION/RESCISSION:

Recommend approval to rescind the award for Item #24 to your company due to your wet demolition price is no longer the lowest price per terms and conditions, bid tabulation. Wet demolition will be re-awarded to next lowest bidder.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION/RECISSION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. THIS ACTION IS SCHEDULED FOR THE GENERAL GOVERNMENT AWARDS COMMITTEE MEETING ON THURSDAY, **07/06/17** AT 1:00 PM. DIRECT ALL PROTEST TO THE RESPECTIVE BUYER/ANALYST, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: Marilyn Rudd

Total Pages Scanned : 1 Total Pages Confirmed : 1

No.	Job	Remote Station	Start Time	Duration	Pages	Line	Mode	Job Type	Results
001	607	97919833	09:36:09 a.m. 06-29-2017	00:01:00	1/1	1	G3	HS	CP14400

Abbreviations:

HS: Host send	PL: Polled local	MP: Mailbox print	CP: Completed	TS: Terminated by system
HR: Host receive	PR: Polled remote	RP: Report	FA: Fail	G3: Group 3
WS: Waiting send	MS: Mailbox save	FF: Fax Forward	TU: Terminated by user	EC: Error Correct

SUBJECT: **DEMO & SITE CLEARANCE OF 42 PROPERTIES--JSEB SET-ASIDE**

BID# JCF-0075-17 OPEN DATE: **2017-02-01**

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT:
CONSTRUCTION FIXED

AGENCY: **MUNICIPAL CODE**

BASIS OF AWARD: **BY ITEM TO THE LOWEST RESPONSIVE, RESPONSIBLE BIDDER**

NUMBER OF BIDS INVITED 6 NUMBER RECEIVED 2 OTHER 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:

Recommend approval of award by item the the lowest responsive, responsible bidder(s) as follows: ERS, Corp., bid items #1, 2, 9, 10, 13, 14, 18, 21, 24, 25, 26, 27, 29, 30, 31, 33, 34, 35, 38, and 40 in the amount of $119,690.03; Michael Lloyd Hauling, bid items # 3, 4, 5, 6, 7, 11, 12, 15, 16, 19, 20, 22, 23, 28, 32, 36, 37, 39, 41 and 42 in the amount of $129,700.00. Total award amount not-to-exceed $249,390.00.

Item #8 will not be awarded at this time; Item #17 was complied by owner.

This award to be funded by account: ERCD1N1FR-03410 to be executed by Purchase Order.

Attachments: Recommendation Memo, Bid Tabulation Sheet, JSEB Letter, Terms & Conditions

BUYER: Marilyn Laidler
MARILYN LAIDLER

RESPECTFULLY SUBMITTED: Greg Pease
GREGORY PEASE, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: **Bryan Mosier, Chief, Municipal Code Compliance Division**

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING 3 MEMBERS DISAPPROVING Ø DATE: 2/09/17

Teresa R. Eichan

OTHER:

ACTION OF AWARDING AUTHORITY DATE: 2/09/17

APPROVED DISAPPROVED

OTHER

SIGNATURE OF AUTHENTICATION

Sam E. Mousa
Chief Administrative Officer
For: Mayor Lenny Curry
Under Authority of:
Executive Order No. 2015-05

FORM GB-108, Revised 12/2007

QWS3270X 6/30/2017 8:43 AM
FAML6350 V5.1 ** NW COJ FAMIS PRODUCTION ** 06/30/2017
LINK TO: ACCOUNT SUMMARY INQUIRY 8:43 AM

FISCAL MO/YEAR : 09 2017 CURRENCY CODE :
INDEX CODE : ERCD1N1FR FORECLOSED PROPERTY REGISTRY-HOUSING SER
SUBOBJECT : 03410 CONTRACTUAL SERVICES
PROJECT :
PROJECT DETAIL :
GRANT :
GRANT DETAIL :
USER CODE :

S	JUNE 2017	ANNUAL BALANCE	ALL YEARS BALANCE
ESTIMATED REVENUES	.00	.00	.00
REVENUES	.00	.00	.00
UNREALIZED REVENUES	.00	.00	.00
BUDGET	.00	1,115,930.00	1,115,930.00
EXPENDITURES	41,280.00	386,146.20	386,146.20
ENCUMBRANCES	36,785.75	463,344.23	463,344.23
PRE-ENCUMBRANCES	.00	.00	.00
REMAINING BALANCE	-78,065.75	266,439.57	266,439.57

F1-HELP F2-SELECT F4-PRIOR F5-NEXT
F9-LINK F10-PRIOR-MO F11-NEXT-MO
G005 - PRIOR RECORD DISPLAYED