SUBJECT: BUNKER GEAR FOR FIREFIGHTING

BID #: ESC-0051-21 **OPEN DATE: 02/03/2021**

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT:
SUPPLY CONTRACT – TWO (2) YEAR FROM DATE OF AWARD WITH THREE (3) ONE (1) YEAR RENEWAL OPTIONS

AGENCY: FIRE/RESCUE

BASIS OF AWARD: ALL OR NONE, TO THE LOWEST RESPONSIVE, RESPONSIBLE BIDDER

NUMBER OF BIDS INVITED: 13 **NUMBER RECEIVED:** 3 **OTHER:** 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:

Recommend approval of award to Municipal Equipment Company, LLC as the lowest responsive, responsible bidder for the purchase of Bunker Gear for Firefighting for the Jacksonville Fire and Rescue Department. Period of service is two (2) years from date of award with three (3) one (1) year renewal options. Total estimated annual expenditure not to exceed $1,339,500.00.

Funding for this award to be encumbered by account: 00111.123004.552070.000000.00000000.00000.0000000 - to be executed by Purchase Order release(s).

Attachments: Recommendation Memo, Tabulation Sheet, Specifications, Terms and Conditions

Analyst: _____ **RESPECTFULLY SUBMITTED:** _____
OLIVE WALLACE-COHEN GREGORY PEASE, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: KEITH POWERS, DIRECTOR/FIRE CHIEF

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

FIRE AND RESCUE DEPARTMENT

February 8, 2021

02/23/21 14:34:31
Procurement Division

TO: Gregory Pease, Chief of Procurement

FROM: Keith Powers, Director/Fire Chief

RE: Bid # ESC-0051-21 BUNKER GEAR FOR FIREFIGHTING

In review of the bid response received by Municipal Equipment Company LLC, recommend approval of award as the lowest conforming bidder in the amount of $1,339,500.00.

Funding Source: 00111.123004.552070.000000.000000.00.00000.0000000

If you have any questions, please contact Cindy Davis at (904) 255-3265.

KP/cad/dp

TITLE: BUNKER GEAR FOR FIREFIGHTIG

BID NO: ESG-0061-21

OPEN DATE: 02/03/21

ANALYST: Olive Wallace-Cohen

NO. INVITED: (13) No. Received: (3) No Bids: (0)

RECORDED BY: John Bernandez

ANNOUNCER: Sokkhar Muon

				MUNICIPAL EQUIPMENT CO. LLC		Ten-8 Fire & Safety, LLC		North America Fire Equipment Co., Inc.	
	NO PRE-BID								
	Buy American Preference								
ITEM #	DESCRIPTION	QUANTITY	UOM	Unit Price	EXTENDED PRICE ($)	Unit Price	EXTENDED PRICE ($)	Unit Price	EXTENDED PRICE ($)
1	BUNKER COAT (ALL LENGTHS)	600	EACH	$ 1,330.00	$ 798,000.00	$ 1,621.56	$ 972,936.00	$ 1,348.96	$ 809,376.00
2	BUNKER PANT (ALL LENGTHS)	600	EACH	$ 880.00	$ 528,000.00	$ 1,280.54	$ 768,324.00	$ 889.00	$ 533,400.00
3	SUSPENDERS (ALL LENGTHS)	300	EACH	$ 45.00	$ 13,500.00	$ 45.00	$ 13,500.00	$ 48.68	$ 14,604.00
	TOTAL BASE BID				$ 1,339,500.00		$ 1,754,760.00		$ 1,357,380.00
	Insurance Acknowledgement				✓		✓		✓
	Delivery				30 days		120 days		30 days
	Conflict of Interest:				✓		✓		✓
	Addendums (0):				N/A		N/A		N/A

TERMS AND CONDITIONS

BUNKER GEAR FOR FIREFIGHTING

1. SCOPE

The City of Jacksonville's Fire and Rescue Department is currently accepting bids to obtain a source of supply for the items/services as outlined in the bid documents provided. The purpose of this bid invitation is to obtain information about your firm and its ability to provide these items/services and to obtain pricing commitments for **Bunker Gear for Firefighting** as listed in the bid documents.

2. AWARD

Award will be **ALL OR NONE** to the lowest responsive, responsible bidder(s). Bidders must bid on all items to be considered for award. The City reserves the right to reject any or all bids. ALL awards are subject to the availability of funds.

- As per Section 126.114 of the City of Jacksonville Ordinance Code, preference will be given to a responsive and responsible vendor offering American manufactured, assembled, or produced goods, and who is within 5% of the lowest responsive and responsible bidder. To receive this preference, the bidder must complete the attached Buy American Preference Compliance Certificate and attach supporting documentation and/or evidence attesting that at least 51% offered in the bid response is manufactured, assembled or produced in the United States..
    - Bidder is not required to submit for the Buy American Preference. Bidders may quote items less than 51% American made but will not be eligible for the preference.
    - Restrictions and exemptions may apply. Please refer to Section 126.114 (Page 35) for specifics.

3. 3. TERM OF AGREEMENT

The term of this agreement is two (2) years from the date of award with three (3) one (1) year renewal options. Renewal options may be exercised at the discretion of the City based on supplier performance and adherence to the terms and conditions set forth in the bid documents.

4. PRE-BID CONFERENCE

Not Applicable

5. COMPLIANCE WITH SPECIFICATIONS

The bidder, by affixing their signature to the bid form submitted, agrees to provide the items/services in accordance with the bid documents provided. Bid only a single offering for each bid item. Multiple offerings, alternates (unless stated) and or stipulations may be cause for bid rejection. Bid only on forms provided herein unless otherwise stated. Bid submissions shall be in ink or typewritten. All corrections must be initialed.

6. STATE CONTRACTS

The City reserves the right to utilize contracts established by the State of Florida and or other governmental agencies for service(s) covered under this bid. The city reserves the right to cancel this contract in whole or in part for such service(s).

7. QUANTITIES

Quantities indicated reflect the estimated quantities to be purchased throughout the contract period and are subject to fluctuation in accordance with actual requirements. The City reserves the right to add or delete items, or increase the volume of services required, or not to make any purchase against this bid if it so deems necessary at any time during the contract period.

8. PRICES

All unit prices shall include freight, delivery, and handling charges to the delivery location as outlined in the bid documents.

9. ESCALATION / DE-ESCALATION

All pricing submitted shall remain firm for the initial term period. Upon renewal (if applicable), a supplier may submit in writing a request for price escalation/de-escalation for the percentage of change as listed in the Consumer Pricing Index (CPI) and/or documentation notifying of an industry wide increase. The City reserves the right to decline any price increase request.

10. DELIVERY

Jacksonville Fire and Rescue Department, 355 Ellis Road, Jacksonville, Florida 32254 Attn: Logistical Support. A packing list shall accompany all shipments, which shall indicate, at a minimum , the following; purchase order number, item number and description, date of shipment, quantity ordered, and shipped, unit price, and unit of measure. **Delivery will be made within thirty (30) days of purchase order date.**

11. PICK UP AND RETURNS

The City reserves the right to return an order in whole or in part if the merchandise is not in compliance with the bid specifications. The City or its agencies will determine compliance with bid specifications. Pick-up and returns will be made within 48 hours of notification at no charge to the City or its agencies.

12. SUPPLIER ACCESSIBILITY

The City or its representative must be able to contact, during normal business hours, by telephone or email any supplier providing goods or services to the City or its agencies. Any supplier accessibility requirements outlined in the specifications supersede this section.

13. REPORTING

The City may request, during the term of this bid, reports including but not limited to; usage, pricing, and delivery. Suppliers will be required to provide reports requested in hard copy and electronic format as required.

14. INVOICING

Invoices will be issued once supplies/services are delivered and/or rendered to the City of Jacksonville or its agencies. At a minimum, invoices must include; purchase order number or contract number, item number and description, date of shipment, quantity ordered and shipped, unit prices, unit of measure, and extended totals. Payment terms are Net 30 days. All original invoices shall be submitted to: City of Jacksonville, General Accounting Division, 117 West Duval Street, Suite 375, Jacksonville, Florida 32202.

15. INSURANCE / INDEMNIFICATION

Each supplier shall maintain, for the entire term of this bid, current insurance coverage as stated in the bid documents. All insurance certificates shall list the City of Jacksonville as an additional insured.

Bunker Gear for Firefighting
Specifications and Minimum Requirements

Specifications

Bunker Coat/Design V-Force
Bi-Swing Coat
LION Turnout V-Force Bi-Swing Coat

Coat Model / Design CVBM/F
MALE 29" (CVBM-29), 30.5" (CVBM-305), 32" (CVBM-32), 33.5" (CVBM-335) & 35" (CVBM-35); FEMALE 29" (CVBF-29) & 32" (CVBF-32)

Coat Liner & Moisture Barrier C7 - Traditional
Traditional Liner, Glide™ face cloth quilted to AraFlo®Dri -1.5 oz, CROSSTECH® BLACK (Type 2F) PTFE/Nomex® Pajama Check laminated membrane, 3.0 oz NOMEX® woven face cloth.

Coat Inner Yoke Reinforcement LYR232
C Liner: 1 layer Semper Dri (RM1377059) 1 layer RM1376-103 front and back yokes sewn to coat thermal liners. V-Force Bi-Swing

Coat Water Well CLW217
Water Well: Chambray DWR 2-Layer NOMEX®/Kevlar® spun lace quilt/pajama check Crosstech with 1" elastic wrist shield waterwell (MADE 1" WIDER IN CIRCUMFERENCE THAN STANDARD) with 3/4" loop, male snap, sew to coat liner sleeves. - Must use with CC722, CC723, or CC724 (all invasive parts). V-Fit

Instructions for Above SPECIAL INSTRUCTIONS
>>> YES; CLW217

Coat Wristlets CLW753
8" Isodri® over the hand- KEVLAR/ NOMEX/Spandex construction

Coat Outer Shell Material 7oz PBI® Max Natural
PBI® Max, 7.0 oz., Natural or Black Color

Reflective Trim CT504PTY
3" Viz-a-V™ Yellow Ventilated Triple Trim for V-Force

Instructions for Above SPECIAL INSTRUCTIONS
>>> ADD INSTRUCTIONS: STOP CHEST TRIM AT STORM FLAP; STOP BEFORE EDGE OF EACH SIDE OF CLOSURE (NONE ON FRONT FACING UNDER SF); SF DOES GET IT.

Reflective Trim CTB26PT3Y
^^^ 3" Yellow Ventilated Triple Trim reflective trim, set vertical down flap of firefighter recovery harness, 4 rows lockstitch.

Drag Rescue Device BHS020
(Std) DRD: Firefighter Recovery Harness with 2" welt and 5.25x2.25" flap with rounded corners. 1 piece 1x2" loop for harness storage. 2 pieces 1x2" loop on shell flap closure, 2 pieces 1x2" hook on flap. 1 piece 1.5x2" hook on harness. 1 piece 2x2" loop underneath chest trim for harness storage, 1 pair 1x3.5" self-fabric straps with 1x2" hook and loop. The loop handle shall have a silver retro-reflective LION logo patch.

Coat Shell Attachment CSA709
(Std) 1x2" Self Fabric strap w/ 1 end sewn to coat shell & opposite end loose w/ 1 female non-logo snap, 1 male snap on liner centered at bottom rear panel to align w/ the female snap. (Cannot be used on coat where liner is 3" from shell). (Standard on V-Force)

Coat Collar CR225
3" - (3) piece contoured collar self-fabric inside layer, 2 layer Araflo quilt & GORE RT7100 PTFE, self-fabric outer layer, 1 piece 1.5x4" hook & loop, pleat collar w/ 3/4" hook. - V-Fit

Liner Inspection System CLF202
Coat liner inspection system; PJ Crosstech collar flashing with 3/4" loop fastener full length and inspection system w/ 3/4"x4" loop on back side of collar.

MISC. Fasteners MF012
3/4" x 4" Hook sewn to shell collar for the coat liner inspection system. Hook to be placed on the center notch of top collar.

Coat Cuff Reinforcement CC722-BLK
Black Polymer coated aramid cuff reinforcements - Non standard sleeve opening (1" wider than standard) - Use with CLW217 - V-Fit

Coat Elbow Reinforcement EB521-BLK
Contoured Black poly-coated aramid elbow patch w/ 1 layer GIC E-88 foam padding. V-Force Bi-Swing

Coat Shoulder Reinforcement SC711
Self fabric shoulder caps w/ GIC E-88 foam padding

Coat Closure System SF304
LEFT SIDE: 2.5" stormflap (Square Corners) W/2 Layer self fabric & 1 lyr Gore RT7100 PTFE, thermo plastic zipper in, 1.5" hook & 1.5" loop out (zipper in, hook on coat front, loop on stormflap) with poly-coated aramid tab for V-Fit Bi-Swing coat

Instructions for Above SPECIAL INSTRUCTIONS
>>> ADD SFM001.

MISC. Fasteners MF039
Zipper-pull for coat closure zipper
Coat Pockets

Turn-Out Pockets FBP1120
10X8X2" FULL BELLOW POCKET W/KEVLAR TWILL FULLY LINED ALL 4 SIDES INSIDE POCKET, PCA 4" UP OUTSIDE ON POCKET, 1PC 2X10" LOOP ON POCKET, 1PC 2X10" HOOK & 8.5X1" PADDING ON FLAP.

Item Location for Above
Front bottom- Left: ON CVBM-26 INSTRUCT PLANT TO CUT DOWN PKTS 2".

Turn-Out Pockets FBP1121
10X8X2"FBP W/KV FULLY LND ALL 4 SDS INSD PKT, PCA 4" UP OUTSD ON PKT. 2 LYRS PCA INSD PKT, 1ST LYR 6"HIGH, 2ND LYR 4"HIGH, BOTH LYRS STITCHED IN 3.33"INCREMENTS TO CREATE 6 COMPARTMENTS.1PC 2X10"LP ON PKT, 1PC 2X10"HK & 8.5X1" PADDING ON FLP

Item Location for Above
Front bottom- Right: ON CVBM-26 INSTRUCT PLANT TO CUT DOWN PKTS 2".

Turn-Out Pockets RP897
3.5X9X2" RADIO POCKET WITH POLYCOTTON AND SEMPER-DRI FULLY LINED ALL 4 SIDES INSIDE POCKET AND FLAP, 1 PIECE 2X3" LOOP ON POCKET & 1 PIECE OF 2X3" HOOK ON FLAP, ANTENNA NOTCH LEFT SIDE, 2 EYELETS

Item Location for Above
Chest Left; notch left.

Flashlight Strap FLS521
1x10" 2 layers self fabric flashlight strap X-stitched to shell with 1x3" hook and loop.

Item Location for Above
Right Chest just above chest trim; MT503 & FLS510 to be above.

Flashlight Snap-Hook FLS510
1x2" 2 layer self fabric 703 flashlight snap holder with 2 bartacks

Item Location for Above
Right Chest 4" above FLS521; MT503 to be just below.

Strap Holder FLS595
1x2.25" self fabric strap with 1.5" dee threaded through strap to form loop, bartacked to shell.
Item Location for Above
Right side between SF and hem pkt just above hem trim.

Lettering Patches LP49
7x22" contoured 2 layer self fabric one line letter patch to be attached to hem of coat.

Instructions for Above SPECIAL INSTRUCTIONS
>>> LP49 TO RECEIVE REFLECTIVE TRIM.

Instructions for Above SPECIAL INSTRUCTIONS
>>> WHEN ORDER ARRIVES WITH NO NAMES, MAKE THE FOLLOWING PART # CHANGES: MF024 & MF023 replace LP49/LPV14/LPS10/LTSL3YNS/CTB36PT2Y; LOOSE PATCHES WILL BE LP49/LPV16/LPS12/LTSL3YNS/CTB36PT2Y

Letter Patch Attachment LPV14
1.5x22" loop sewn to coat back inside at hem. 1.5 x 22" hook to top edge of 5 x 22" patch, loop sewn to hem with white thread through the trim.

Letter Patch Attachment LPS10
2 Male snaps to letter patch (1 set 6" left of center, 1 set 6" right of center) & 2 female snaps on coat shell for Hanging letter patch attachment.

Sewn On Lettering LTSL3YNS
Sewn On 3" Lime/Yellow 3M™ Scotchlite™ Letters (each line) 6 – 12 Alpha Numeric Name Characters

Lettering
Lettering shall be for FF Name

Location for Lettering
On above LP49 patch

Reflective Trim CTB36PT2Y
2" Yellow Ventilated Triple Trim reflective trim, set horizontal across contoured letter patch, 4 rows lockstitch - For use with hanging patch or CTP002

Sewn On Lettering LTSL3YIS
Sewn On 3" Lime/Yellow 3M™ Scotchlite™ Letters (each line) max 5 Alpha Numeric ID Characters

Lettering
Lettering to read - J F R D

Location for Lettering
Across yoke; MUST BE SPACED SO BEGINNING TO END IS 7".

Mic Tab MT503
(2) 1x3" triple layer self fabric mic tab bartacked each end.

Item Location for Above
(1) Right chest just below FLS510; (1) Left Chest above RP.

Coat Outer Yoke Reinforcement YR122
11" Chambray 2 layer treated AraFlo® across back & sleeve reinforcement that is 8" in length & 12" across sleeve for V-Force Bi-Swing coat.

Hanger Loop HL02
(Std) 5/8" x 5 1/2" Self fabric hangerloop.

*** Custom Turnout Pants - 2019 MID-YEAR ***
--- NOT INCLUDING SUSPENDERS ---

Pant Model / Design PVFM/F
LION® Turnout V-Force® Pant

Pant Liner & Moisture Barrier C7 - Traditional
Traditional Liner, Glide™ face cloth quilted to AraFlo®Dri -1.5 oz, CROSSTECH® BLACK (Type 2F) PTFE/Nomex® Pajama Check laminated membrane, 3.0 oz NOMEX® woven face cloth.

Liner Inspection System PLO200
(Std) Pant liner inspection system with 1x3" loop located at right side of liner waist.

Pant Outer Shell Material 7oz PBI® Max Natural
PBI® Max, 7.0 oz., Natural or Black Color

MISC. Fasteners MF018
(Std) 1x3" hook sewn to right shell front for the pant liner inspection system.

Pant Fly Closure FLY233
(Std) Sewn on pant FLY with PJ CROSSTECH®, closure thermo plastic zipper inside with 1.5" hook & loop, 3/4" hook underneath PJ Crosstech for liner attachment. V-Fit

Snap Attachment SAP201
Snap attachment pant - 9 non-logo on shell waistband, 9 male on liner for waistband attachment and 2 male snaps on each liner leg.

Instructions for Above SPECIAL INSTRUCTIONS
>>> SAP201 REPLACES SAP200

Hook & Dee TUP016
Hook and dee ring closure, rivet directly to shell with leather backing
Leg Tabs LGT000-GRY
(Std) 2 Grey Leather leg tabs per leg with non-logo female snaps.

Pant Knee Reinforcement KP243-BLK
Black Poly coated aramid contoured knees with 2 layers Lite-N-Dri padding and 1 layer silicone foam padding. V-Fit.

Pant Cuff Reinforcement PC504-BLK
Black Poly-coated aramid pant cuffs and 3x3.5" kick shield.

Boot Cut PMO542
"Boot cut" pant legs.

Belt Loops BL031
5 belt loops, 3" wide by 3.5" high, 2-layer self-fabric, double stitched to pant shell, bartacked all four corners. One loop centered at back of waistline seam & other loops placed evenly around the waistline to the front belt assembly. To receive FLS595 - Set to Rear Center Belt Loop so that D-ring hangs just below the belt loop

NO STD BHS
>>> NO STD BELT (BHS013)
Pant Pockets

Turn-Out Pockets FBP1118
10X10X2" FBP W/KV FULLY LND ALL 4 SDS INSD PKT, PCA UP 5" OUT,2 ADD LYRS OTR SHL LND W/KV ON SHL INSD, 1ST LYR 6.5" HIGH,2ND LYR 4.5" HIGH, BOTH LYRS STCHD IN 3.33" INCR TO CREATE 6 COMP. 1PC 2X10"LP PKT, 1PC 2X10"HK & 8.5X1" PADDING ON FLAP

Item Location for Above PKTLOC-TR
Thigh Right; to receive Letters

Turn-Out Pockets FBP1119
10X10X2" FULL BELLOW PKT W/KEVLAR FULLY LINED ALL 4 SIDES INSIDE PKT & POLY COATED ARAMID 5" UP OUTSIDE ON PKT, 1PC 2X10" LOOP ON PKT, 1PC 2X10" HOOK & 8.5X1" PADDING ON FLAP

Item Location for Above PKTLOC-TL
Thigh Left; to receive Letters

Sewn On Lettering LTSL3YIS
(2) Sewn On 3" Lime/Yellow 3M™ Scotchlite™ Letters (each line) max 5 Alpha Numeric ID Characters

Lettering
Lettering to read - J F R D

Location for Lettering
Shall be located on each thigh pocket just above the bottom; MUST BE SPACED SO BEGINNING TO END IS 7".

Dee Ring FLS595
^^^ 1x2.25" self fabric strap with 1.5" dee threaded through strap to form loop, bartacked to shell.

Item Location for Above
Rear Center Belt Loop; the D-ring will be hanging just below Belt Loop.

Reflective Trim PTC4PT3Y
3" Lime/Yellow Ventilated Triple Trim Reflective trim around leg bottoms-4 rows lockstitch.

Suspender Tabs PMO210
Four 2" wide self material suspender tabs with 1.75x3" leather reinforcement. 2 male and 2 female logo snaps, attached to waist with 2 on the front and 2 on the back. Reinforced with 2 bartacks on each tab.

Suspenders SR842X
42" V-BACK quick adjust padded suspenders, 2"Metal Loops Only - Red; APPLIES TO ALL AVAILABLE LENGTHS.

The above specifications may evolve during the term of this contract with modifications to materials, patterns or other new innovations or advances in fire service technology that may become commercially available during the term of this contract. Any modifications or changes to the listed specifications must be agreed upon in writing between all parties involved in this contract.

Minimum Requirements

1. Vendor must be in business for at least ten (10) years.

2. The vendor awarded the items will be responsible for evaluating all warranty issues within fifteen (15) days of notification by JFRD.

3. Vendor must have supplied protective gear and equipment to agencies with over five hundred (500) uniformed personnel.