6

SUBJECT: FLYNN ROAD DRAINAGE IMPROVEMENTS

BID #: JSC-0017-23 **OPEN DATE: 1/4/2023**

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: Construction Contract – Until Complete

AGENCY: Public Works

BASIS OF AWARD: ALL OR NONE, TO THE LOWEST RESPONSIVE, RESPONSIBLE BIDDER

NUMBER OF BIDS INVITED: 23 **NUMBER RECEIVED:** 6 **OTHER:** 0

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to reject all bids. Specifications and plans will be revised and rebid at a later date.

Attachments: Recommendation Memo, Tabulation, Scope of Work, and Rejections Letters

ANALYST: _____ **RESPECTFULLY SUBMITTED** _____
on JACLYN STAMOS
for DUSTIN FREEMAN, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: Robin G. Smith P.E., Chief, Engineering and Construction Management

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF CSPEC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

City of Jacksonville, Florida

Lenny Curry, Mayor

Department of Public Works
214 N. Hogan St., 10th floor
Jacksonville, FL 32202
(904) 255-8786
www.coj.net

ONE CITY ONE JACKSONVILLE.

May 2, 2023

TO: Dustin Freeman
Chief of Procurement

THRU: Steven D. Long, Jr., P.E.
Director of Public Works

FROM: Robin G. Smith, P. E.
Chief, Engineering & Construction Managements

SUBJECT: RECOMMENDATION TO REJECT ALL BIDS

RE: Flynn Road Drainage Improvements

Bid No.:	JCS-0017-23
Bid Date:	January 4, 2023
Award Amount:	N/A

The Department of Public Works has reviewed the six (6) bids received on the referenced project for accuracy and compliance with the contract documents. The apparent low and 2nd low bidder failed to provide documentation that they meet the license requirements described in Section 2.6 of the bid specifications. The 3rd low bid by Onas Corporation in the amount of $499,950.00 exceeds the budget of $392,440.17 in project # 010376 by more than 10%.

We therefore recommend that the bids for JCS-0017-23 be rejected at this time and to request approval to rebid the project at a later date.

RGS/lw

Attachments

cc: Lori West, Engineering and Construction Management
John Baxter, P.E., Engineering and Construction Management

City of Jacksonville, Florida

Lenny Curry, Mayor

Department of Public Works
Engineering & Construction Management Division
214 N. Hogan Street, 10th Floor
Jacksonville, FL 32202
(904) 255-8762
www.coj.net

ONE CITY. ONE JACKSONVILLE.

Flynn Road Drainage Improvement Project



Request: This is a request to perform a budget transfer. Low bids were received by the City in January of 2023 which exceeded the available budget by 10%. Engineering is requesting to perform a budget transfer from the DSR Capital Improvement Account into the Flynn Road Drainage Improvement project account for $261,000. This budget transfer request will apply to the difference between the available budget and the low bid and will cover the estimated cost for CEI.

Location Description: This project proposes to add a new stormwater pipe system from the intersection of Flynn Road and Stonebridge Drive to the intersection of Stonegate Drive and Flynn Road. The new stormwater pipe system will run down Flynn Road on the west side, and connect to the existing drainage pipe system near Stonegate Drive.

Flynn Road Project Details and Cost:

1 Cloud #	010376
FY 21-22	$200,000
B/T	$261,000

Council District: 06

TITLE: FLYNN ROAD DRAINAGE IMPROVEMENTS
BID NO.: JCS-0017-23
OPEN DATE: 04 JANUARY 2023 @ 2 P.M.
ANALYST: JACLYN STAMOS
No. Invited: (23) No. Received (6) No Bids: ( )
Recorded By: MELISSA PEIRCE Announcer: JOHN HERNANDEZ

				1st Choice Engineering, Construction, & Development LLC		Spencer Construction & Engineering, INC		Amy's Landscaping and Tree Experts LLC		Combined Industries		ONAS CORPORATION		CGC, INC	
ITEM	DESCRIPTION	EST. QTY	UNIT	UNIT PRICE	TOTAL COST	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	TOTAL COST	UNIT PRICE	EXTENDED TOTAL	UNIT PRICE	TOTAL COST	UNIT PRICE	EXTENDED TOTAL
1	MOBILIZATION, includes one project sign.	1	LS												
2	SITE PREPARATION	1	LS												
3	AS BUILT DRAWINGS	1	LS												
4	PROJECT SIGNS	2	EA												
5	MAINTENANCE OF TRAFFIC	1	LS												
6	EROSION CONTROL AND POLLUTION ABATEMENT	1	LS												
7	DEWATERING	1	LS												
8	REGULAR EXCAVATION AND FILL	1	LS												
9	HAULING AND DISPOSAL OF UNSUITABLE MATERIALS (CONTINGENCY)	50	CY												
10	OVEREXCAVATION(CONTINGENCY)	50	CY												
11	A-3 SAND BACKFILL (CONTINGENCY)	50	CY												
12	PAVEMENT REPAIR, CASE X,	170	SY												
13	CONCRETE SIDEWALK,4" THICK	45	SY												
14	CURB AND GUTTER, (CITY STD.)	112	LF												
15	NEW FENCING (CONTINGENCY)	50	LF												
16	FENCING REMOVAL AND REINSTALLATION (CONTENGENCY)	50	LF												
17	TEMP FENCING (CONTENFNECY)	50	LF												
18	18" RCP DRAINLINE	756	LF												
19	14" X 23" ERCP DRAINLINE	164	LF												
20	24" RCP DRAINLINE	116	LF												
21	CITY STD. TYPE 'C' INLET	5	EA												
22	CITY STD. TYPE 'E' INLET	1	EA												
23	CITY STD. J-1 MANHOLE	1	EA												
24	CONNECT EXIST. 19"X30" ERCP TO S-7	1	EA												
25	CONNECT PROPOSED 24" RCP TO E-1	1	EA												
26	CONNECT TO EXIST. 18" RCP W/ CONCRETE COLLAR	1	EA												
27	CONSTRUCT EARTHLINED SWALE	840	LF												
28	THERMOPLASTIC PAVEMENT MARKINGS (6" YELLOW) (C	10	LF												
29	THERMOPLASTIC PAVEMENT MARKINGS (24" WHITE) (CONTINGENCY)	50	LF												
30	GRASSING, COJ SPECIFICATION 145	2000	SY												
31	RELOCATE EXIST. WATER METER	1	EA												
32	ADJUST EXIST. WATER SERVICE	1	EA												
			GRAND TOTAL :	$ -		$ -		$ -		$ -		$ -		$ -	
			CONFLICT OF INTEREST:	Y		Y		Y		Y		Y		Y	
			JSEB COMPANY:	Y		Y		Y		Y		Y		Y	
			ADDENDUMS (0) :	n/a		n/a		n/a		N/A		n/a		n/a	

FLYNN ROAD DRAINAGE IMPROVEMENTS
SECTION 30

SCOPE OF WORK

30.1 Scope The work covered by these plans and specifications consists of furnishing all labor, materials and equipment; and performing all operations necessary for the construction of **FLYNN ROAD DRAINAGE IMPROVEMENTS**, as specified in the Contract Documents.

30.2 Location This project is located within the limits of the City of Jacksonville, Florida. The construction area includes the western side of Flynn Road from Stonegate Drive to Stonebridge Drive. Additionally, the job site shall include all City property, right-of-ways, and easements delineated on the contract drawings.

30.3 Intent It is the intent of these Contract Documents to construct the **FLYNN ROAD DRAINAGE IMPROVEMENTS** project as shown on the plans and including but not limited to:

1. Site Preparation, Including Clearing & Grubbing
2. Earthwork
3. Roadway Construction
4. Drainage Construction
5. Concrete Construction
6. Ditch Construction & Regrading
7. Utility Adjustments
8. Erosion Control & Pollution Abatement
9. Maintenance of Traffic
10. Grassing

It is not the intent of these Contract Documents to minutely define the mode and fabric of construction of this project, but rather to set forth reasonable and rational criteria for the construction thereof.

PROCUREMENT DIVISION

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: renee@onascorporation.com

Bidder's Name: Onas Corporation

Contact Name: Renee Gadling

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____
Jaclyn L. Stamos, Purchasing Analyst

214 N. Hogan St., Suite 800 | Jacksonville, FL 32202 | Phone: 904.255-8815 | Fax: 904.255-8837

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:08 PM
To: renee@onascorporation.com
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: onas corp.pdf

Good afternoon,

Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:03 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: office@cgccivil.com

Bidder's Name: CGC, Inc

Contact Name: Tammy Burkard

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____

Jaclyn L. Stamos, Purchasing Analyst

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:09 PM
To: Tammy Burkard
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: cgc,inc.pdf

Good afternoon,
Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:03 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697

PROCUREMENT DIVISION

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: amyslandscapeandtree@gmail.com

Bidder's Name: Amy's Landscaping and Tree Experts

Contact Name: Amy Roberts

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____

Jaclyn L. Stamos, Purchasing Analyst

214 N. Hogan St., Suite 800 | Jacksonville, FL 32202 | Phone: 904.255-8815 | Fax: 904.255-8837

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:09 PM
To: AMY ROBERTS
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: amys landscape.pdf

Good afternoon,
Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:02 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697

PROCUREMENT DIVISION

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: anthony.ammons@gmail.com

Bidder's Name: Combined Industries

Contact Name: Anthony Ammons

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____

Jaclyn L. Stamos, Purchasing Analyst

214 N. Hogan St., Suite 800 | Jacksonville, FL 32202 | Phone: 904.255-8815 | Fax: 904.255-8837

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:10 PM
To: anthony.ammons@gmail.com
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: combined industries.pdf

Good afternoon,
Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:03 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: s.americus@gmail.com

Bidder's Name: Spencer Construction & Engineering Inc

Contact Name: Americas Spencer

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____
Jaclyn L. Stamos, Purchasing Analyst

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:08 PM
To: s.americus@gmail.com
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: spencer.pdf

Good afternoon,
Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:02 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697

PROCUREMENT DIVISION

NOTIFICATION OF RECOMMENDED BID REJECTION

Date: 5 May 2023

Via Email: Bart.Ciambella@1stChoiceECD.com

Bidder's Name: 1st Choice Engineering, Construction, & Development, LLC

Contact Name: Bart Ciambella

Bid No: JCS-0017-23

Title: Flynn Road Drainage Improvements

Date Opened: 4 January 2023

REASON FOR RECOMMENDED BID REJECTION:.

The City has the right to reject all bids. Specifications will be revised and resolicited at a later date.

NOTE: This intended action is only a recommendation to the appropriate Awarding Authority. The authority recommending award for this bid is the General Government Awards Committee scheduled for Thursday, 11 May 2023 at 1:00 p.m.

Purchasing Analyst's Signature: _____

Jaclyn L. Stamos, Purchasing Analyst

214 N. Hogan St., Suite 800 | Jacksonville, FL 32202 | Phone: 904.255-8815 | Fax: 904.255-8837

Stamos, Jaclyn

From: Stamos, Jaclyn
Sent: Monday, May 8, 2023 12:07 PM
To: Bart Ciambella, P.E.
Subject: Bid Rejection Notice for JCS-0017-23 Flynn Road Drainage Improvement.
Attachments: 1st choice.pdf

Good afternoon,
Thank you for submitting a bid proposal, please find the attached rejection letter for bid JCS-0017-23 Flynn Road Drainage Improvements. The Specifications will be revised and rebid at a later date. Thank you.

V/R
Jaclyn Stamos
Purchasing Analyist
City of Jacksonville
214 Hogan Street
Jacksonville, FL 32202
(o) (904) 255-8844
(f) (904) 255-8837
jstamos@coj.net

Please click on the links below for any of the following for Bids and Awards:

For Bidding Opportunities: COJ.net - Bidding Opportunities (Including Capital Improvement and Design/Build)

For COJ weekly award intentions: COJ.net - Agendas and Minutes

For bid award information: Procurement Division (coj.net)

For Public Records: COJ Public Records (govqa.us)

-----Original Message-----
From: P0697@coj.net <P0697@coj.net>
Sent: Monday, May 8, 2023 12:02 PM
To: Stamos, Jaclyn <JStamos@coj.net>
Subject: Scanned from a Xerox Multifunction Printer

Please open the attached document. It was sent to you using a Xerox multifunction printer.

Attachment File Type: pdf, Multi-Page

Multifunction Printer Location: Ed Ball 8th Floor
Multifunction Printer Name: P0697