SUBJECT: JIM KING BOARDWALK REPLACEMENT

BID #: CF-0133-19 **OPEN DATE:** 2019-04-24

GENERAL GOVERNMENT AWARDS COMMITTEE

KIND AND BASIS OF CONTRACT: CONSTRUCTION FIXED

AGENCY: PUBLIC WORKS

BASIS OF AWARD: TOTAL BASE BID -LOWEST RESPOSIVE, RESPONSIBLE BIDDER

NUMBER OF BIDS INVITED: (100 PLUS) **NUMBER RECEIVED:** (3) **OTHER** (0)

SUMMARY OF BIDS AND RECOMMENDED ACTIONS:
Recommend approval to reject ONAS Corporation due to vendor's failure to provide bid bond and is deemed non-responsive.

Recommend approval of award to the next lowest responsive, responsible bidder Hager Construction Company in the total base bid amount not-to-exceed $331,979.00.

This award is to be funded by account(s): RPWF165-06505-AFA017-01 to be executed by formal contract through Office of General Counsel.

Attachments: Recommendation Memo, Bid Tabulation Sheet, JSEB Letter, Vendor Rejection Confirmation, Basis of Award, Scope of Work

ANALYST: _____ **RESPECTFULLY SUBMITTED** _____
MARILYN LAIDLER GREGORY PEASE, CHIEF
PROCUREMENT DIVISION

CONCURRENCE BY: Robin G. Smith, P.E. Chief, Engineering & Construction Management/ Robert Skalitzky, Chief, Natural and Marine Resources

---

(ALL AWARD ACTIONS SUBJECT TO LAWFULLY APPROPRIATED FUNDS)
ACTION OF GGAC COMMITTEE ON RECOMMENDATIONS ABOVE

MEMBERS APPROVING _____ MEMBERS DISAPPROVING _____ DATE: _____

_____ _____ OTHER: _____

_____ _____

_____ _____

ACTION OF AWARDING AUTHORITY DATE _____

APPROVED _____ DISAPPROVED _____

OTHER _____

SIGNATURE OF AUTHENTICATION _____

City of Jacksonville, Florida

Lenny Curry, Mayor

Department of Public Works
214 N. Hogan St., 10th floor
Jacksonville, FL 32202
(904) 255-8786
www.coj.net

ONE CITY. ONE JACKSONVILLE.

June 3, 2019

TO: Gregory W. Pease
Chief of Procurement

THRU: John P. Pappas, P.E.
Director

FROM: Robin G. Smith, P.E.
Chief, Engineering & Construction Management

Robert Skalitzky, Chief
Natural and Marine Resources

SUBJECT: RECOMMENDATION TO AWARD

RE: Jim King Boardwalk Replacement

Bid No.:	CF-0133-19
Bid Date:	April 24, 2019
Award Amount:	$331,979.00
Internal Services Account No.	PWEN011AD

The Department of Public Works has reviewed and tabulated Three (3) bids received on the referenced project for accuracy and compliance with the contract documents. The apparent low bidder, Onas Corporation failed to provide bonds and is considered non-responsive. The 2nd low bid by Hager Construction Company has been reviewed and meets the requirements. The project was bid as encouragement. In addition, Public Works has confirmed through www.myfloridalicense.com the appropriate licenses for this contractor and listed subcontractors, if applicable.

Accordingly, we recommend that the bid by Onas Corporation be rejected and that award for the Total Base Bid for Jim King Boardwalk Replacement be awarded to Hager Construction Company, 518 Herman Street, Jacksonville FL 32254, in accordance with the attached bid documents in the amount of $331,979.00.

Total funding for this project should be encumbered by contract as follows:

ACCOUNT NO.	ENCUMBERED AMOUNT
RPWF165-06505--AFA017-01	$331,979.00
TOTAL	$331,979.00

RGS/lw

Attachments

cc: Lori West, Engineering Contract Specialist, Engineering & Construction Management
Robert Scott, P.E., Project Manager, Engineering & Construction Management

TITLE: JIM KING BOARDWALK REPLACEMENT

BID NO. CF-6133-19 (PW)

OPEN DATE: APRIL 24, 2019 @ 2:00PM

BUYER: MARILYN LAIDLER

No. Invited: (100 plus) No. Received (3) No Bids: (0)

ITEM	DESCRIPTION OF WORK	UNIT	EST. QTY	HAGER CONSTRUCTION COMPANY UNIT COST	HAGER CONSTRUCTION COMPANY TOTAL COST	C & L LANDSCAPE, INC UNIT COST	C & L LANDSCAPE, INC TOTAL COST	ONAS CORPORATION UNIT COST	ONAS CORPORATION TOTAL COST
1	MOBILIZATION	LS	1	$ 18,750.00	$ 18,750.00	$ 26,000.00	$ 26,000.00	$ 45,000.00	$ 45,000.00
2	ENVIRONMENTAL PROTECTION AND EROSION CONTROL	LS	1	$ 7,500.00	$ 7,500.00	$ 2,000.00	$ 2,000.00	$ 10,000.00	$ 10,000.00
3	AS BUILT SURVEY	LS	1	$ 3,500.00	$ 3,500.00	$ 3,000.00	$ 3,000.00	$ 10,000.00	$ 10,000.00
4	DEMOLITION	LS	1	$ 26,000.00	$ 26,000.00	$ 33,000.00	$ 33,000.00	$ 45,000.00	$ 45,000.00
5	TIMBER PILES (10" DIAMETER, ASSUME 30' PILE LENGHTS)	VLF	900	$ 118.00	$ 106,200.00	$ 75.00	$ 67,500.00	$ 60.00	$ 54,000.00
6	TIMBER PILES (12" DIAMETER, ASSUME 40' PILE LENGHTS)	VLF	240	$ 175.00	$ 42,000.00	$ 90.00	$ 21,600.00	$ 70.00	$ 16,800.00
7	ROPE PILE WRAP	EA	10	$ 250.00	$ 2,500.00	$ 475.00	$ 4,750.00	$ 400.00	$ 4,000.00
8	TIMBER SUBSTRUCTURE (INCLUDING BUT NOT LIMITED TO CROSSBRACES, PILE CAPS, BLOCKING AND JOINTS)	SF	1,213	$ 38.00	$ 46,094.00	$ 105.00	$ 127,365.00	$ 20.00	$ 24,260.00
9	TIMBER DECKING	SF	1,213	$ 25.00	$ 30,325.00	$ 17.00	$ 20,621.00	$ 20.00	$ 24,260.00
10	TIMBER HANDRAIL	LF	405	$ 62.00	$ 25,110.00	$ 101.36	$ 41,058.80	$ 25.00	$ 10,125.00
11	CONCRETE FOOTER AND SLAB	CY	2	$ 750.00	$ 1,500.00	$ 650.00	$ 1,300.00	$ 600.00	$ 1,200.00
12	PVC ELECTRICAL CONDUIT (INCD. WIRE)	LS	1	$ 22,500.00	$ 22,500.00	$ 8,200.00	$ 8,200.00	$ 15,000.00	$ 15,000.00
	TOTAL BID (ITEMS NOS 1-12)				$ 331,979.00		$ 368,794.80		$ 259,645.00
	CONFLICT OF INTEREST			YES		YES		YES	
	BID BOND/SECURITY			YES		YES		NOT INCLUDED	
	LICENSED SUBS			YES		SELF-PEFORM		YES	
	ADDENDUM (S) ACKNOWLEDGED: ( )								

Laidler, Marilyn

From: Laidler, Marilyn
Sent: Friday, June 07, 2019 1:49 PM
To: 'bandele@onascorporation.com'
Cc: Laidler, Marilyn
Subject: CF-0133-19 Jim King Boardwalk Replacement- Bid Rejection Notice
Attachments: COJ Procurement.pdf

Hello,
Attached is the bid rejection notice for the project referenced and this email will serve as notification of receipt.

Thanks

Marilyn Laidler, Purchasing Analyst
Finance and Administration/Procurement Division
214 N. Hogan Street, 8th Floor
Phone (904) 255-8804
Fax (904) 255-8837
Rightfax (904)630-8288
Email: mlaidler@coj.net

*** Please note that under Florida's very broad public records law, email communications to and from city officials are subject to public disclosure. ***

Laidler, Marilyn

From: Microsoft Outlook
To: 'bandele@onascorporation.com'
Sent: Friday, June 07, 2019 1:49 PM
Subject: Relayed: CF-0133-19 Jim King Boardwalk Replacement- Bid Rejection Notice

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

'bandele@onascorporation.com' (bandele@onascorporation.com)

Subject: CF-0133-19 Jim King Boardwalk Replacement- Bid Rejection Notice

ONE CITY. ONE JACKSONVILLE.

City of Jacksonville, Florida

Lenny Curry, Mayor

Procurement Division
Ed Ball Building
214 N. Hogan Street, Suite 800
Jacksonville, Florida 32202

NOTIFICATION OF RECOMMENDED BID REJECTION

June 7, 2019

ONAS Corporation
2050 University Blvd., N
Jacksonville, Florida 32211

BID# CF-0133-19 **DATE OPENED: 2019-04-24**

TITLE: JIM KING BOARDWALK REPLACEMENT

REASON FOR RECOMMENDED REJECTION:
ONAS Corporation is being rejected for failure to provide required bid bond and is considered non-responsive.

IF YOU WISH TO PROTEST THE RECOMMENDED REJECTION OF THIS BID, PLEASE RESPOND IN ACCORDANCE WITH THE CITY OF JACKSONVILLE BID PROTEST PROCEDURES. THIS ACTION IS SCHEDULED FOR THE GENERAL GOVERNMENT AWARDS COMMITTEE MEETING ON THURSDAY, **06/13/2019** AT 1:00 PM. DIRECT ALL PROTEST TO THE RESPECTIVE BUYER/ANALYST, FACSIMILE NUMBER (904) 255-8837.

BUYER'S SIGNATURE: Marilyn Laudt

B. BASIS OF AWARD

The project may be awarded to the lowest responsive, responsible Bidder contingent on the availability of funds within the project's approved budget. The Total Base Bid plus selected Alternate(s), if any, will be used to determine the lowest bidder. If selected, Alternate(s) will be awarded in the order listed (i.e. - 1,2,3...). The CITY has the right to reject any or all bids.

C. REVISIONS OF BID PROPOSAL FORM

Request for revision of the Bid Proposal Form must be made to the ENGINEER at least ten (10) days prior to date of opening of Bids. Revision of the Bid Proposal by the Bidder will void the Bid.

D. CONTRACT EXPIRATION DATE

The Contract expiration date shall be established as follows:

The notice to proceed date plus ten (10) calendar days for mobilization, plus the construction time established in the Proposal, plus time extensions pursuant to valid change orders (which shall establish the construction completion date), plus 120 days to assure a contract exists beyond the scheduled construction completion date in order to comply with Executive Order Number 2013-05.

E. BID CHANGES

No changes in the amount of Bids appearing on the outside of Bids will be considered. Only the amounts shown on bidding documents inside the envelope will be considered. All changes, corrections and erasures must be initialed by the person signing the bid.

F. CONSTRUCTION COMPLETION

The CONTRACTOR shall begin work within ten (10) calendar days, including Sundays and holidays, after the date of written notice from the owner to begin work, and shall complete the Base Bid work within 120 calendar days including Sundays and holidays, after the expiration of such ten (10) day notice. If the Bidder determines that "off-hours" work is anticipated to complete the project within such allotted times, a schedule therefore shall be attached to this proposal as required by Section 20.3.4 of the General Conditions.

G. BID SECURITY

If Bid Security is required for this project, a Certified Check on _____ (or) Cashier's Check on _____ (or) Bid Bond properly executed by the undersigned and by qualified surety in the sum of _____ representing not less than five percent (5%) of the total amount of Bid, made payable to the Tax Collector, City of Jacksonville, Florida, which the undersigned Bidder hereby deposits as a guarantee of good faith and which it agrees to forfeit to the CITY of Jacksonville, not as a penalty, but as fixed and liquidated damages in the event it fails to enter into Contract, or fail to

30 00 00

SCOPE OF WORK

PART 1 GENERAL

1.01 WORK COVERED BY CONTRACT DOCUMENTS

A. Project Description

1. The work covered by these Construction Drawings and Specifications consists of furnishing all labor, materials and equipment to demolish and construct a replacement timber boardwalk and associated utilities at Jim King Park including but not limited to the following:

   a. Demolition of existing site features as indicated on Construction Drawings.

   b. Construction of timber boardwalk and associated components in accordance with Construction Drawings and Specifications.

   c. Installation of utilities as indicated on Construction Drawings.

      1) Contractor is solely responsible for the demolition, design and installation of all utilities included in this scope of work. Contractor shall consult with a licensed electrical engineer/electrician as required by local, state, and federal codes.

   d. Installation of required signage as indicated on Construction Drawings in accordance with local, state, and federal agencies.

B. Location

1. Jim King Park, locates on in Sister's Creek tributary approximately 3/4 miles north of the St. Johns River in Jacksonville, Florida (Section 26, Township 01S, Range 28E).

2. Latitude (DMS): **30°23' 52.29" N** Longitude (DMS): **81° 27' 32.73" W**

PART 2 PRODUCTS (NOT APPLICABLE)

PART 3 EXECUTION (NOT APPLICABLE)

--END OF SECTION--

QWS3270X 6/10/2019 10:28 AM
FAML6350 V5.1 ** NW COJ FAMIS PRODUCTION ** 06/10/2019
LINK TO: ACCOUNT SUMMARY INQUIRY 10:27 AM

FISCAL MO/YEAR : 09 2019 CURRENCY CODE :
INDEX CODE : RPWF165 PARKS-WATERFRONT
SUBOBJECT : 06505 OTHER CONSTRUCTION COSTS
PROJECT :
PROJECT DETAIL :
GRANT :
GRANT DETAIL :
USER CODE :

S	JUNE 2019	ANNUAL BALANCE	ALL YEARS BALANCE
ESTIMATED REVENUES	.00	.00	.00
REVENUES	.00	.00	.00
UNREALIZED REVENUES	.00	.00	.00
BUDGET	.00	.00	.00
EXPENDITURES	.00	326,073.22	1,480,360.03
ENCUMBRANCES	.00	1,293,387.03	1,672,073.56
PRE-ENCUMBRANCES	.00	.00	.00
REMAINING BALANCE	.00	-1,619,460.25	-3,152,433.59

F1-HELP F2-SELECT F4-PRIOR F5-NEXT
F9-LINK F10-PRIOR-MO F11-NEXT-MO
G005 - PRIOR RECORD DISPLAYED